

TEX

DOHRE
Dohre Tools Co., Ltd

4008 804 803

AD-Stainless Steel special coated milling cutter
AD-不銹鋼專用塗層銑刀




TOOLING SYSTEM

www.dohrecnc.com

TEX 2 flutes square end mills

2刃立铣刀



MG 0.6μm CO10% HRC-55 ALDNL

B143

| Product Code 产品编号 | Blade diameter 刃径 | Blade length 刃长 | Full 全长 | Shank 柄径 | Inventory 库存 | |
|----------------------|----------------------|--------------------|------------|-------------|--------------|----|
| | | | | | AL | AS |
| TEX2F01003005004 | 1.0 | 3 | 50 | 4 | ○ | ○ |
| TEX2F01504005004 | 1.5 | 4 | 50 | 4 | ○ | ○ |
| TEX2F02006005004 | 2.0 | 6 | 50 | 4 | ○ | ○ |
| TEX2F02507005004 | 2.5 | 7 | 50 | 4 | ○ | ○ |
| TEX2F03008005004 | 3.0 | 8 | 50 | 4 | ○ | ○ |
| TEX2F03510005004 | 3.5 | 10 | 50 | 4 | ○ | ○ |
| TEX2F04011005004 | 4.0 | 11 | 50 | 4 | ○ | ○ |
| TEX2F01003005006 | 1.0 | 3 | 50 | 6 | ○ | ○ |
| TEX2F01504005006 | 1.5 | 4 | 50 | 6 | ○ | ○ |
| TEX2F02006005006 | 2.0 | 6 | 50 | 6 | ○ | ○ |
| TEX2F02507005006 | 2.5 | 7 | 50 | 6 | ○ | ○ |
| TEX2F03008005006 | 3.0 | 8 | 50 | 6 | ○ | ○ |
| TEX2F03510005006 | 3.5 | 10 | 50 | 6 | ○ | ○ |
| TEX2F04011005006 | 4.0 | 11 | 50 | 6 | ○ | ○ |
| TEX2F04513005006 | 4.5 | 13 | 50 | 6 | ○ | ○ |
| TEX2F05013005006 | 5.0 | 13 | 50 | 6 | ○ | ○ |
| TEX2F05513005006 | 5.5 | 13 | 50 | 6 | ○ | ○ |
| TEX2F06015005006 | 6.0 | 15 | 50 | 6 | ○ | ○ |
| TEX2F06517006008 | 6.5 | 17 | 60 | 8 | ○ | ○ |
| TEX2F07017006008 | 7.0 | 17 | 60 | 8 | ○ | ○ |
| TEX2F07517006008 | 7.5 | 17 | 60 | 8 | ○ | ○ |
| TEX2F08020006008 | 8.0 | 20 | 60 | 8 | ○ | ○ |
| TEX2F08523007510 | 8.5 | 23 | 75 | 10 | ○ | ○ |
| TEX2F09023007510 | 9.0 | 23 | 75 | 10 | ○ | ○ |
| TEX2F09525007510 | 9.5 | 25 | 75 | 10 | ○ | ○ |
| TEX2F10025007510 | 10.0 | 25 | 75 | 10 | ○ | ○ |
| TEX2F10525007512 | 10.5 | 25 | 75 | 12 | ○ | ○ |
| TEX2F11028007512 | 11.0 | 28 | 75 | 12 | ○ | ○ |
| TEX2F11528007512 | 11.5 | 28 | 75 | 12 | ○ | ○ |
| TEX2F12030007512 | 12.0 | 30 | 75 | 12 | ○ | ○ |
| TEX2F13045010014 | 13.0 | 45 | 100 | 14 | ○ | ○ |
| TEX2F14045010014 | 14.0 | 45 | 100 | 14 | ○ | ○ |
| TEX2F15045010016 | 15.0 | 45 | 100 | 16 | ○ | ○ |
| TEX2F16045010016 | 16.0 | 45 | 100 | 16 | ○ | ○ |
| TEX2F17045010018 | 17.0 | 45 | 100 | 18 | ○ | ○ |
| TEX2F18045010018 | 18.0 | 45 | 100 | 18 | ○ | ○ |
| TEX2F19045010020 | 19.0 | 45 | 100 | 20 | ○ | ○ |
| TEX2F20045010020 | 20.0 | 45 | 100 | 20 | ○ | ○ |
| TEX2F22045010025 | 22.0 | 45 | 100 | 25 | ○ | ○ |
| TEX2F25045010025 | 25.0 | 45 | 100 | 25 | ○ | ○ |

★ WORK MATERIAL 被削材质


| TEX | | | | |
|----------|--------|--------|-----|-----|
| P20 S45C | SCM SK | FC FCD | CU | 304 |
| 碳素钢 | 合金钢 | 铸铁 | 铜合金 | 不锈钢 |
| ● | ● | ● | ● | ● |

★ TOLERANCES 公差

| Blade diameter 刃部直径 | Blade diameter tolerance 刃部直径公差 | Shank diameter tolerance 柄部直径公差 |
|------------------------|------------------------------------|------------------------------------|
| Φ1.0~Φ2.9 | 0~-0.02 | H6 |
| Φ3.0~Φ6.0 | -0.01~-0.03 | |
| Φ6.5~Φ10.5 | -0.01~-0.035 | |
| Φ11.0~Φ16.0 | -0.01~-0.04 | |
| Φ17.0~Φ20.0 | -0.015~-0.045 | |

TEX Long shank 2 flutes square end mills

長柄標準刃 2刃立銑刀



MG 0.6μm CO10% HRC-55 ALDNL

B144

| Product Code 產品編號 | Blade diameter 刃徑 | Blade length 刃長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|----------------------|--------------------|------------|-------------|--------------|----|
| | | | | | AL | AS |
| TEX2F01003007504 | 1.0 | 3 | 75 | 4 | ○ | ○ |
| TEX2F01504507504 | 1.5 | 4.5 | 75 | 4 | ○ | ○ |
| TEX2F02006007504 | 2.0 | 6 | 75 | 4 | ○ | ○ |
| TEX2F02507007504 | 2.5 | 7 | 75 | 4 | ○ | ○ |
| TEX2F03008007504 | 3.0 | 8 | 75 | 4 | ○ | ○ |
| TEX2F03510007504 | 3.5 | 10 | 75 | 4 | ○ | ○ |
| TEX2F04011007504 | 4.0 | 11 | 75 | 4 | ○ | ○ |
| TEX2F04513007506 | 4.5 | 13 | 75 | 6 | ○ | ○ |
| TEX2F05013007506 | 5.0 | 13 | 75 | 6 | ○ | ○ |
| TEX2F05513007506 | 5.5 | 13 | 75 | 6 | ○ | ○ |
| TEX2F06015007506 | 6.0 | 15 | 75 | 6 | ○ | ○ |
| TEX2F06517007508 | 6.5 | 17 | 75 | 8 | ○ | ○ |
| TEX2F07017007508 | 7.0 | 17 | 75 | 8 | ○ | ○ |
| TEX2F07517007508 | 7.5 | 17 | 75 | 8 | ○ | ○ |
| TEX2F08020007508 | 8.0 | 20 | 75 | 8 | ○ | ○ |
| TEX2F03008010006 | 3.0 | 8 | 100 | 6 | ○ | ○ |
| TEX2F04011010006 | 4.0 | 11 | 100 | 6 | ○ | ○ |
| TEX2F05013010006 | 5.0 | 13 | 100 | 6 | ○ | ○ |
| TEX2F06015010006 | 6.0 | 15 | 100 | 6 | ○ | ○ |
| TEX2F07017010008 | 7.0 | 17 | 100 | 8 | ○ | ○ |
| TEX2F08020010008 | 8.0 | 20 | 100 | 8 | ○ | ○ |
| TEX2F09023010010 | 9.0 | 23 | 100 | 10 | ○ | ○ |
| TEX2F10025010010 | 10.0 | 25 | 100 | 10 | ○ | ○ |
| TEX2F11028010012 | 11.0 | 28 | 100 | 12 | ○ | ○ |
| TEX2F12030010012 | 12.0 | 30 | 100 | 12 | ○ | ○ |
| TEX2F08020015008 | 8.0 | 20 | 150 | 8 | ○ | ○ |
| TEX2F10025015010 | 10.0 | 25 | 150 | 10 | ○ | ○ |
| TEX2F12030015012 | 12.0 | 30 | 150 | 12 | ○ | ○ |
| TEX2F16050015016 | 16.0 | 50 | 150 | 16 | ○ | ○ |
| TEX2F18050015018 | 18.0 | 50 | 150 | 18 | ○ | ○ |
| TEX2F20050015020 | 20.0 | 50 | 150 | 20 | ○ | ○ |
| TEX2F16050020016 | 16.0 | 50 | 200 | 16 | ○ | ○ |
| TEX2F20050020020 | 20.0 | 50 | 200 | 20 | ○ | ○ |

★ WORK MATERIAL 被削材質

| TEX | | | | |
|----------|--------|--------|-----|-----|
| P20 S45C | SCM SK | FC FCD | CU | 304 |
| 碳素鋼 | 合金鋼 | 鑄鐵 | 銅合金 | 不銹鋼 |
| ● | ● | ● | ● | ● |

★ TOLERANCES 公差


| Blade diameter 刃部直徑 | Blade diameter tolerance 刃部直徑公差 | Shank diameter tolerance 柄部直徑公差 |
|------------------------|------------------------------------|------------------------------------|
| Φ1.0~Φ2.9 | 0~-0.02 | H6 |
| Φ3.0~Φ6.0 | -0.01~-0.03 | |
| Φ6.5~Φ10.5 | -0.01~-0.035 | |
| Φ11.0~Φ16.0 | -0.01~-0.04 | |
| Φ17.0~Φ20.0 | -0.015~-0.045 | |

TEX 2 flutes corner radius end mills

圓鼻 2刃立銼刀



MG 0.6μm CO10% HRC-55 ALDNL



B145

| Product Code 產品編號 | Blade diameter 刃徑 | R | Blade length 刃長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|----------------------|-----|--------------------|------------|-------------|--------------|----|
| | | | | | | AL | AS |
| TEX2F010R0203005004 | 1.0 | 0.2 | 3 | 50 | 4 | ○ | ○ |
| TEX2F015R0204005004 | 1.5 | 0.2 | 4 | 50 | 4 | ○ | ○ |
| TEX2F015R0504005004 | 1.5 | 0.5 | 4 | 50 | 4 | ○ | ○ |
| TEX2F020R0206005004 | 2.0 | 0.2 | 6 | 50 | 4 | ○ | ○ |
| TEX2F020R0506005004 | 2.0 | 0.5 | 6 | 50 | 4 | ○ | ○ |
| TEX2F025R0208005004 | 2.5 | 0.2 | 8 | 50 | 4 | ○ | ○ |
| TEX2F025R0508005004 | 2.5 | 0.5 | 8 | 50 | 4 | ○ | ○ |
| TEX2F030R0208005004 | 3.0 | 0.2 | 8 | 50 | 4 | ○ | ○ |
| TEX2F030R0508005004 | 3.0 | 0.5 | 8 | 50 | 4 | ○ | ○ |
| TEX2F030R1000805004 | 3.0 | 1.0 | 8 | 50 | 4 | ○ | ○ |
| TEX2F040R0211005004 | 4.0 | 0.2 | 11 | 50 | 4 | ○ | ○ |
| TEX2F040R0511005004 | 4.0 | 0.5 | 11 | 50 | 4 | ○ | ○ |
| TEX2F040R1011005004 | 4.0 | 1.0 | 11 | 50 | 4 | ○ | ○ |
| TEX2F050R0513005006 | 5.0 | 0.5 | 13 | 50 | 6 | ○ | ○ |
| TEX2F050R1013005006 | 5.0 | 1.0 | 13 | 50 | 6 | ○ | ○ |
| TEX2F060R0215005006 | 6.0 | 0.2 | 15 | 50 | 6 | ○ | ○ |
| TEX2F060R0515005006 | 6.0 | 0.5 | 15 | 50 | 6 | ○ | ○ |
| TEX2F060R1015005006 | 6.0 | 1.0 | 15 | 50 | 6 | ○ | ○ |
| TEX2F060R1515005006 | 6.0 | 1.5 | 15 | 50 | 6 | ○ | ○ |
| TEX2F060R2015005006 | 6.0 | 2.0 | 15 | 50 | 6 | ○ | ○ |
| TEX2F080R0520006008 | 8.0 | 0.5 | 20 | 60 | 8 | ○ | ○ |
| TEX2F080R1020006008 | 8.0 | 1.0 | 20 | 60 | 8 | ○ | ○ |
| TEX2F080R1520006008 | 8.0 | 1.5 | 20 | 60 | 8 | ○ | ○ |
| TEX2F080R2020006008 | 8.0 | 2.0 | 20 | 60 | 8 | ○ | ○ |
| TEX2F100R0525007510 | 10.0 | 0.5 | 25 | 75 | 10 | ○ | ○ |
| TEX2F100R1025007510 | 10.0 | 1.0 | 25 | 75 | 10 | ○ | ○ |
| TEX2F100R1525007510 | 10.0 | 1.5 | 25 | 75 | 10 | ○ | ○ |
| TEX2F100R2025007510 | 10.0 | 2.0 | 25 | 75 | 10 | ○ | ○ |
| TEX2F100R2525007510 | 10.0 | 2.5 | 25 | 75 | 10 | ○ | ○ |
| TEX2F100R3025007510 | 10.0 | 3.0 | 25 | 75 | 10 | ○ | ○ |
| TEX2F120R0530007512 | 12.0 | 0.5 | 30 | 75 | 12 | ○ | ○ |
| TEX2F120R1030007512 | 12.0 | 1.0 | 30 | 75 | 12 | ○ | ○ |
| TEX2F120R1530007512 | 12.0 | 1.5 | 30 | 75 | 12 | ○ | ○ |
| TEX2F120R2030007512 | 12.0 | 2.0 | 30 | 75 | 12 | ○ | ○ |
| TEX2F120R2530007512 | 12.0 | 2.5 | 30 | 75 | 12 | ○ | ○ |
| TEX2F120R3030007512 | 12.0 | 3.0 | 30 | 75 | 12 | ○ | ○ |

★ WORK MATERIAL 被削材質


| TEX | | | |
|----------|--------|--------|-----|
| P20 S45C | SCM SK | FC FCD | CU |
| 碳素鋼 | 合金鋼 | 鑄鐵 | 銅合金 |
| ● | ● | ● | ● |

★ TOLERANCES 公差

| Blade diameter 刃部直徑 | Blade diameter tolerance 刃部直徑公差 | Shank diameter tolerance 柄部直徑公差 |
|------------------------|------------------------------------|------------------------------------|
| Φ1.0~Φ2.9 | 0~-0.02 | H6 |
| Φ3.0~Φ6.0 | -0.01~-0.03 | |
| Φ6.5~Φ10.5 | -0.01~-0.035 | |
| Φ11.0~Φ12.0 | -0.01~-0.04 | |

TEX Long shank 2 flutes corner radius end mills

長柄圓鼻2刃立銼刀



MG 0.6μm CO10% HRC-55 ALDNL



B146

| Product Code 產品編號 | Blade diameter 刃徑 | R | Blade length 刃長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|----------------------|-----|--------------------|------------|-------------|--------------|----|
| | | | | | | AL | AS |
| TEX2F010R0203007504 | 1.0 | 0.2 | 3 | 75 | 4 | ⊙ | ⊙ |
| TEX2F015R0204007504 | 1.5 | 0.2 | 4 | 75 | 4 | ⊙ | ⊙ |
| TEX2F015R0504007504 | 1.5 | 0.5 | 4 | 75 | 4 | ⊙ | ⊙ |
| TEX2F020R0206007504 | 2.0 | 0.2 | 6 | 75 | 4 | ⊙ | ⊙ |
| TEX2F020R0506007504 | 2.0 | 0.5 | 6 | 75 | 4 | ⊙ | ⊙ |
| TEX2F025R0208007504 | 2.5 | 0.2 | 8 | 75 | 4 | ⊙ | ⊙ |
| TEX2F025R0508007504 | 2.5 | 0.5 | 8 | 75 | 4 | ⊙ | ⊙ |
| TEX2F030R0208007504 | 3.0 | 0.2 | 8 | 75 | 4 | ⊙ | ⊙ |
| TEX2F030R0508007504 | 3.0 | 0.5 | 8 | 75 | 4 | ⊙ | ⊙ |
| TEX2F030R1008007504 | 3.0 | 1.0 | 8 | 75 | 4 | ⊙ | ⊙ |
| TEX2F040R0201107504 | 4.0 | 0.2 | 11 | 75 | 4 | ⊙ | ⊙ |
| TEX2F040R0501107504 | 4.0 | 0.5 | 11 | 75 | 4 | ⊙ | ⊙ |
| TEX2F040R1001107504 | 4.0 | 1.0 | 11 | 75 | 4 | ⊙ | ⊙ |
| TEX2F050R0513007506 | 5.0 | 0.5 | 11 | 75 | 6 | ⊙ | ⊙ |
| TEX2F050R1015007506 | 5.0 | 1.0 | 13 | 75 | 6 | ⊙ | ⊙ |
| TEX2F060R0215007506 | 6.0 | 0.2 | 15 | 75 | 6 | ⊙ | ⊙ |
| TEX2F060R0515007506 | 6.0 | 0.5 | 15 | 75 | 6 | ⊙ | ⊙ |
| TEX2F060R1015007506 | 6.0 | 1.0 | 15 | 75 | 6 | ⊙ | ⊙ |
| TEX2F060R1515007506 | 6.0 | 1.5 | 15 | 75 | 6 | ⊙ | ⊙ |
| TEX2F060R2015007506 | 6.0 | 2.0 | 15 | 75 | 6 | ⊙ | ⊙ |
| TEX2F080R0520007508 | 8.0 | 0.5 | 20 | 75 | 8 | ⊙ | ⊙ |
| TEX2F080R1020007508 | 8.0 | 1.0 | 20 | 75 | 8 | ⊙ | ⊙ |
| TEX2F080R1520007508 | 8.0 | 1.5 | 20 | 75 | 8 | ⊙ | ⊙ |
| TEX2F080R2020007508 | 8.0 | 2.0 | 20 | 75 | 8 | ⊙ | ⊙ |
| TEX2F040R0211010006 | 4.0 | 0.2 | 11 | 100 | 6 | ⊙ | ⊙ |
| TEX2F040R0511010006 | 4.0 | 0.5 | 11 | 100 | 6 | ⊙ | ⊙ |
| TEX2F040R1011010006 | 4.0 | 1.0 | 11 | 100 | 6 | ⊙ | ⊙ |
| TEX2F050R0513010006 | 5.0 | 0.5 | 13 | 100 | 6 | ⊙ | ⊙ |
| TEX2F050R1013010006 | 5.0 | 1.0 | 13 | 100 | 6 | ⊙ | ⊙ |
| TEX2F060R0215010006 | 6.0 | 0.2 | 15 | 100 | 6 | ⊙ | ⊙ |
| TEX2F060R0515010006 | 6.0 | 0.5 | 15 | 100 | 6 | ⊙ | ⊙ |
| TEX2F060R1015010006 | 6.0 | 1.0 | 15 | 100 | 6 | ⊙ | ⊙ |
| TEX2F060R1515010006 | 6.0 | 1.5 | 15 | 100 | 6 | ⊙ | ⊙ |
| TEX2F060R2015010006 | 6.0 | 2.0 | 15 | 100 | 6 | ⊙ | ⊙ |
| TEX2F080R0520010008 | 8.0 | 0.5 | 20 | 100 | 8 | ⊙ | ⊙ |
| TEX2F080R1020010008 | 8.0 | 1.0 | 20 | 100 | 8 | ⊙ | ⊙ |
| TEX2F080R1520010008 | 8.0 | 1.5 | 20 | 100 | 8 | ⊙ | ⊙ |
| TEX2F080R2020010008 | 8.0 | 2.0 | 20 | 100 | 8 | ⊙ | ⊙ |
| TEX2F100R0525010010 | 10.0 | 0.5 | 25 | 100 | 10 | ⊙ | ⊙ |
| TEX2F100R1025010010 | 10.0 | 1.0 | 25 | 100 | 10 | ⊙ | ⊙ |
| TEX2F100R1525010010 | 10.0 | 1.5 | 25 | 100 | 10 | ⊙ | ⊙ |
| TEX2F100R2025010010 | 10.0 | 2.0 | 25 | 100 | 10 | ⊙ | ⊙ |
| TEX2F100R2525010010 | 10.0 | 2.5 | 25 | 100 | 10 | ⊙ | ⊙ |
| TEX2F100R3025010010 | 10.0 | 3.0 | 25 | 100 | 10 | ⊙ | ⊙ |
| TEX2F120R0530010012 | 12.0 | 0.5 | 30 | 100 | 12 | ⊙ | ⊙ |
| TEX2F120R1030010012 | 12.0 | 1.0 | 30 | 100 | 12 | ⊙ | ⊙ |
| TEX2F120R1530010012 | 12.0 | 1.5 | 30 | 100 | 12 | ⊙ | ⊙ |
| TEX2F120R2030010012 | 12.0 | 2.0 | 30 | 100 | 12 | ⊙ | ⊙ |
| TEX2F120R2530010012 | 12.0 | 2.5 | 30 | 100 | 12 | ⊙ | ⊙ |
| TEX2F120R3030010012 | 12.0 | 3.0 | 30 | 100 | 12 | ⊙ | ⊙ |


■Special specifications can be customized. ■特殊規格可訂制。

TEX 2 flutes ball nose end mills

2刃球型立铣刀



MG 0.6μm CO10% HRC-55 ALDNL



B147

| Product Code 產品編號 | R Blade R 徑 | Blade length 刃長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|----------------|--------------------|------------|-------------|--------------|----|
| | | | | | AL | AS |
| TEX2FR005002005004 | R0.50 | 2.0 | 50 | 4 | ○ | ○ |
| TEX2FR007503005004 | R0.75 | 3.0 | 50 | 4 | ○ | ○ |
| TEX2FR010004005004 | R1.00 | 4.0 | 50 | 4 | ○ | ○ |
| TEX2FR012505005004 | R1.25 | 5.0 | 50 | 4 | ○ | ○ |
| TEX2FR015006005004 | R1.50 | 6.0 | 50 | 4 | ○ | ○ |
| TEX2FR017507005004 | R1.75 | 7.0 | 50 | 4 | ○ | ○ |
| TEX2FR020008005004 | R2.00 | 8.0 | 50 | 4 | ○ | ○ |
| TEX2FR005002005006 | R0.50 | 2.0 | 50 | 6 | ○ | ○ |
| TEX2FR007503005006 | R0.75 | 3.0 | 50 | 6 | ○ | ○ |
| TEX2FR010004005006 | R1.00 | 4.0 | 50 | 6 | ○ | ○ |
| TEX2FR012505005006 | R1.25 | 5.0 | 50 | 6 | ○ | ○ |
| TEX2FR015006005006 | R1.50 | 6.0 | 50 | 6 | ○ | ○ |
| TEX2FR017507005006 | R1.75 | 7.0 | 50 | 6 | ○ | ○ |
| TEX2FR020008005006 | R2.00 | 8.0 | 50 | 6 | ○ | ○ |
| TEX2FR022509005006 | R2.25 | 9.0 | 50 | 6 | ○ | ○ |
| TEX2FR025010005006 | R2.50 | 10.0 | 50 | 6 | ○ | ○ |
| TEX2FR027511005006 | R2.75 | 11.0 | 50 | 6 | ○ | ○ |
| TEX2FR030012005006 | R3.00 | 12.0 | 50 | 6 | ○ | ○ |
| TEX2FR032513006008 | R3.25 | 13.0 | 60 | 8 | ○ | ○ |
| TEX2FR035014006008 | R3.50 | 14.0 | 60 | 8 | ○ | ○ |
| TEX2FR037515006008 | R3.75 | 15.0 | 60 | 8 | ○ | ○ |
| TEX2FR040016006008 | R4.00 | 16.0 | 60 | 8 | ○ | ○ |
| TEX2FR045018007510 | R4.50 | 18.0 | 75 | 10 | ○ | ○ |
| TEX2FR050020007510 | R5.00 | 20.0 | 75 | 10 | ○ | ○ |
| TEX2FR060024007512 | R6.00 | 24.0 | 75 | 12 | ○ | ○ |
| TEX2FR070028010014 | R7.00 | 28.0 | 100 | 14 | ○ | ○ |
| TEX2FR080032010016 | R8.00 | 32.0 | 100 | 16 | ○ | ○ |
| TEX2FR090036010018 | R9.00 | 36.0 | 100 | 18 | ○ | ○ |
| TEX2FR100040010020 | R10.0 | 40.0 | 100 | 20 | ○ | ○ |
| TEX2FR125050010025 | R12.5 | 50.0 | 100 | 25 | ○ | ○ |

★ WORK MATERAIL 被削材質

| TEX | | | | |
|----------|--------|--------|-----|-----|
| P20 S45C | SCM SK | FC FCD | CU | 304 |
| 碳素鋼 | 合金鋼 | 鑄鐵 | 銅合金 | 不銹鋼 |
| ● | ● | ● | ● | ● |


| R | R diameter tolerance |
|---|----------------------|
| R | R ± 0.015 |

★ TOLERANCES 公差

| Blade diameter 刃部直徑 | Blade diameter tolerance 刃部直徑公差 | Shank diameter tolerance 柄部直徑公差 |
|------------------------|------------------------------------|------------------------------------|
| Φ1.0~Φ2.9 | 0~-0.02 | H6 |
| Φ3.0~Φ6.4 | -0.01~-0.03 | |
| Φ6.5~Φ10.9 | -0.01~-0.035 | |
| Φ11.0~Φ16.5 | -0.01~-0.04 | |
| Φ17.0~Φ20.0 | -0.015~-0.045 | |
| Φ20.5~Φ25.0 | -0.015~-0.05 | |

TEX Long shank 2 flutes ball nose end mills

長柄 2刃球型立銼刀



MG 0.6μm CO10% HRC-55 ALDNL



B148

| Product Code 產品編號 | R Blade R 徑 | Blade length 刃長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|----------------|--------------------|------------|-------------|--------------|----|
| | | | | | AL | AS |
| TEX2FR005002007504 | R0.50 | 2 | 75 | 4 | ○ | ○ |
| TEX2FR007503007504 | R0.75 | 3 | 75 | 4 | ○ | ○ |
| TEX2FR010004007504 | R1.00 | 4 | 75 | 4 | ○ | ○ |
| TEX2FR012505007504 | R1.25 | 5 | 75 | 4 | ○ | ○ |
| TEX2FR015006007504 | R1.50 | 6 | 75 | 4 | ○ | ○ |
| TEX2FR017507007504 | R1.75 | 7 | 75 | 4 | ○ | ○ |
| TEX2FR020008007504 | R2.00 | 8 | 75 | 4 | ○ | ○ |
| TEX2FR022509007506 | R2.25 | 9 | 75 | 6 | ○ | ○ |
| TEX2FR025010007506 | R2.50 | 10 | 75 | 6 | ○ | ○ |
| TEX2FR027511007506 | R2.75 | 11 | 75 | 6 | ○ | ○ |
| TEX2FR030012007506 | R3.00 | 12 | 75 | 6 | ○ | ○ |
| TEX2FR040016007508 | R4.00 | 16 | 75 | 8 | ○ | ○ |
| TEX2FR005002010006 | R0.50 | 2 | 100 | 6 | ○ | ○ |
| TEX2FR007503010006 | R0.75 | 3 | 100 | 6 | ○ | ○ |
| TEX2FR010004010006 | R1.00 | 4 | 100 | 6 | ○ | ○ |
| TEX2FR012505010006 | R1.25 | 5 | 100 | 6 | ○ | ○ |
| TEX2FR015006010006 | R1.50 | 6 | 100 | 6 | ○ | ○ |
| TEX2FR017507010006 | R1.75 | 7 | 100 | 6 | ○ | ○ |
| TEX2FR020008010006 | R2.00 | 8 | 100 | 6 | ○ | ○ |
| TEX2FR022509010006 | R2.25 | 9 | 100 | 6 | ○ | ○ |
| TEX2FR025010010006 | R2.50 | 10 | 100 | 6 | ○ | ○ |
| TEX2FR027511010006 | R2.75 | 11 | 100 | 6 | ○ | ○ |
| TEX2FR030012010006 | R3.00 | 12 | 100 | 6 | ○ | ○ |
| TEX2FR040016010008 | R4.00 | 16 | 100 | 8 | ○ | ○ |
| TEX2FR050020010010 | R5.00 | 20 | 100 | 10 | ○ | ○ |
| TEX2FR060024010012 | R6.00 | 24 | 100 | 12 | ○ | ○ |
| TEX2FR030012015006 | R3.00 | 12 | 150 | 6 | ○ | ○ |
| TEX2FR040016015008 | R4.00 | 16 | 150 | 8 | ○ | ○ |
| TEX2FR050020015010 | R5.00 | 20 | 150 | 10 | ○ | ○ |
| TEX2FR060024015012 | R6.00 | 24 | 150 | 12 | ○ | ○ |
| TEX2FR070028015014 | R7.00 | 28 | 150 | 14 | ○ | ○ |
| TEX2FR080032015016 | R8.00 | 32 | 150 | 16 | ○ | ○ |
| TEX2FR100040015020 | R10.00 | 40 | 150 | 20 | ○ | ○ |
| TEX2FR040016020008 | R4.00 | 16 | 200 | 8 | ○ | ○ |
| TEX2FR050020020010 | R5.00 | 20 | 200 | 10 | ○ | ○ |
| TEX2FR060024020012 | R6.00 | 24 | 200 | 12 | ○ | ○ |
| TEX2FR070028020014 | R7.00 | 28 | 200 | 14 | ○ | ○ |
| TEX2FR080032020016 | R8.00 | 32 | 200 | 16 | ○ | ○ |
| TEX2FR100040020020 | R10.00 | 40 | 200 | 20 | ○ | ○ |

★ WORK MATERIAL 被削材質

| TEX | | | | |
|----------|--------|--------|-----|-----|
| P20 S45C | SCM SK | FC FCD | CU | 304 |
| 碳素鋼 | 合金鋼 | 鑄鐵 | 銅合金 | 不銹鋼 |
| ● | ● | ● | ● | ● |


| | |
|---|----------------------|
| R | R diameter tolerance |
| R | R ± 0.015 |

★ TOLERANCES 公差

| Blade diameter 刃部直徑 | Blade diameter tolerance 刃部直徑公差 | Shank diameter tolerance 柄部直徑公差 |
|------------------------|------------------------------------|------------------------------------|
| Φ1.0~Φ2.9 | 0~-0.02 | H6 |
| Φ3.0~Φ6.4 | -0.01~-0.03 | |
| Φ6.5~Φ10.9 | -0.01~-0.035 | |
| Φ11.0~Φ16.5 | -0.01~-0.04 | |
| Φ17.0~Φ20.0 | -0.015~-0.045 | |
| Φ20.5~Φ25.0 | -0.015~-0.05 | |

TEX 4 flutes square end mills

4刃立铣刀



MG 0.6μm CO10% HRC-55 ALDNL

B149

| Product Code 产品编号 | Blade diameter 刃径 | Blade length 刃长 | Full 全长 | Shank 柄径 | Inventory 库存 | |
|----------------------|----------------------|--------------------|------------|-------------|--------------|----|
| | | | | | AL | AS |
| TEX4F01003005004 | 1.0 | 3 | 50 | 4 | ○ | ○ |
| TEX4F01504505004 | 1.5 | 4.5 | 50 | 4 | ○ | ○ |
| TEX4F02006005004 | 2.0 | 6 | 50 | 4 | ○ | ○ |
| TEX4F02507005004 | 2.5 | 7 | 50 | 4 | ○ | ○ |
| TEX4F03008005004 | 3.0 | 8 | 50 | 4 | ○ | ○ |
| TEX4F03510005004 | 3.5 | 10 | 50 | 4 | ○ | ○ |
| TEX4F04011005004 | 4.0 | 11 | 50 | 4 | ○ | ○ |
| TEX4F04513005006 | 4.5 | 13 | 50 | 6 | ○ | ○ |
| TEX4F05013005006 | 5.0 | 13 | 50 | 6 | ○ | ○ |
| TEX4F05513005006 | 5.5 | 13 | 50 | 6 | ○ | ○ |
| TEX4F06015005006 | 6.0 | 15 | 50 | 6 | ○ | ○ |
| TEX4F06517006008 | 6.5 | 17 | 60 | 8 | ○ | ○ |
| TEX4F07017006008 | 7.0 | 17 | 60 | 8 | ○ | ○ |
| TEX4F07517006008 | 7.5 | 17 | 60 | 8 | ○ | ○ |
| TEX4F08020006008 | 8.0 | 20 | 60 | 8 | ○ | ○ |
| TEX4F08523007510 | 8.5 | 23 | 75 | 10 | ○ | ○ |
| TEX4F09023007510 | 9.0 | 23 | 75 | 10 | ○ | ○ |
| TEX4F09525007510 | 9.5 | 25 | 75 | 10 | ○ | ○ |
| TEX4F10025007510 | 10.0 | 25 | 75 | 10 | ○ | ○ |
| TEX4F10525007512 | 10.5 | 25 | 75 | 12 | ○ | ○ |
| TEX4F11028007512 | 11.0 | 28 | 75 | 12 | ○ | ○ |
| TEX4F11528007512 | 11.5 | 28 | 75 | 12 | ○ | ○ |
| TEX4F12030007512 | 12.0 | 30 | 75 | 12 | ○ | ○ |
| TEX4F13045010014 | 13.0 | 33 | 100 | 14 | ○ | ○ |
| TEX4F14045010014 | 14.0 | 45 | 100 | 14 | ○ | ○ |
| TEX4F15045010016 | 15.0 | 45 | 100 | 16 | ○ | ○ |
| TEX4F16045010016 | 16.0 | 45 | 100 | 16 | ○ | ○ |
| TEX4F17045010018 | 17.0 | 45 | 100 | 18 | ○ | ○ |
| TEX4F18045010018 | 18.0 | 45 | 100 | 18 | ○ | ○ |
| TEX4F19045010020 | 19.0 | 45 | 100 | 20 | ○ | ○ |
| TEX4F20045010020 | 20.0 | 45 | 100 | 20 | ○ | ○ |
| TEX4F22045010025 | 22.0 | 45 | 100 | 25 | ○ | ○ |
| TEX4F25045010025 | 25.0 | 45 | 100 | 25 | ○ | ○ |

★ WORK MATERIAL 被削材质


| TEX | | | | |
|----------|--------|--------|-----|-----|
| P20 S45C | SCM SK | FC FCD | CU | 304 |
| 碳素钢 | 合金钢 | 铸铁 | 铜合金 | 不锈钢 |
| ● | ● | ● | ● | ● |

★ TOLERANCES 公差

| Blade diameter 刃部直径 | Blade diameter tolerance 刃部直径公差 | Shank diameter tolerance 柄部直径公差 |
|------------------------|------------------------------------|------------------------------------|
| Φ1.0~Φ2.9 | 0~-0.02 | H6 |
| Φ3.0~Φ6.4 | -0.01~-0.03 | |
| Φ6.5~Φ10.9 | -0.01~-0.035 | |
| Φ11.0~Φ16.5 | -0.01~-0.04 | |
| Φ17.0~Φ20.0 | -0.015~-0.045 | |
| Φ20.5~Φ25.0 | -0.015~-0.05 | |

TEX Long shank 4 flutes square end mills

長柄標準刃 4刃立銑刀



MG 0.6μm CO10% HRC-55 ALDNL

B150

| Product Code 產品編號 | Blade diameter 刃徑 | Blade length 刃長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|----------------------|--------------------|------------|-------------|--------------|----|
| | | | | | AL | AS |
| TEX4F01003007504 | 1.0 | 3 | 75 | 4 | ○ | ○ |
| TEX4F01504507504 | 1.5 | 4.5 | 75 | 4 | ○ | ○ |
| TEX4F02006007504 | 2.0 | 6 | 75 | 4 | ○ | ○ |
| TEX4F02507007504 | 2.5 | 7 | 75 | 4 | ○ | ○ |
| TEX4F03008007504 | 3.0 | 8 | 75 | 4 | ○ | ○ |
| TEX4F03510007504 | 3.5 | 10 | 75 | 4 | ○ | ○ |
| TEX4F04011007504 | 4.0 | 11 | 75 | 4 | ○ | ○ |
| TEX4F04513007506 | 4.5 | 13 | 75 | 6 | ○ | ○ |
| TEX4F05013007506 | 5.0 | 13 | 75 | 6 | ○ | ○ |
| TEX4F05513007506 | 5.5 | 13 | 75 | 6 | ○ | ○ |
| TEX4F06015007506 | 6.0 | 15 | 75 | 6 | ○ | ○ |
| TEX4F06517007508 | 6.5 | 17 | 75 | 8 | ○ | ○ |
| TEX4F07017007508 | 7.0 | 17 | 75 | 8 | ○ | ○ |
| TEX4F07517007508 | 7.5 | 17 | 75 | 8 | ○ | ○ |
| TEX4F08020007508 | 8.0 | 20 | 75 | 8 | ○ | ○ |
| TEX4F03008010006 | 3.0 | 8 | 100 | 6 | ○ | ○ |
| TEX4F04011010006 | 4.0 | 11 | 100 | 6 | ○ | ○ |
| TEX4F05013010006 | 5.0 | 13 | 100 | 6 | ○ | ○ |
| TEX4F06015010006 | 6.0 | 15 | 100 | 6 | ○ | ○ |
| TEX4F07017010008 | 7.0 | 17 | 100 | 8 | ○ | ○ |
| TEX4F08020010008 | 8.0 | 20 | 100 | 8 | ○ | ○ |
| TEX4F09023010010 | 9.0 | 23 | 100 | 10 | ○ | ○ |
| TEX4F10025010010 | 10.0 | 25 | 100 | 10 | ○ | ○ |
| TEX4F11028010012 | 11.0 | 28 | 100 | 12 | ○ | ○ |
| TEX4F12030010012 | 12.0 | 30 | 100 | 12 | ○ | ○ |
| TEX4F08020015008 | 8.0 | 20 | 150 | 8 | ○ | ○ |
| TEX4F10025015010 | 10.0 | 25 | 150 | 10 | ○ | ○ |
| TEX4F12030015012 | 12.0 | 30 | 150 | 12 | ○ | ○ |
| TEX4F16050015016 | 16.0 | 50 | 150 | 16 | ○ | ○ |
| TEX4F18050015018 | 18.0 | 50 | 150 | 18 | ○ | ○ |
| TEX4F20050015020 | 20.0 | 50 | 150 | 20 | ○ | ○ |
| TEX4F16050020016 | 16.0 | 50 | 200 | 16 | ○ | ○ |
| TEX4F20050020020 | 20.0 | 50 | 200 | 20 | ○ | ○ |

★ WORK MATERAIL 被削材質

| TEX | | | | |
|----------|--------|--------|-----|-----|
| P20 S45C | SCM SK | FC FCD | CU | 304 |
| 碳素鋼 | 合金鋼 | 鑄鐵 | 銅合金 | 不銹鋼 |
| ● | ● | ● | ● | ● |

★ TOLERANCES 公差


| Blade diameter 刃部直徑 | Blade diameter tolerance 刃部直徑公差 | Shank diameter tolerance 柄部直徑公差 |
|------------------------|------------------------------------|------------------------------------|
| Φ1.0~Φ2.9 | 0~-0.02 | H6 |
| Φ3.0~Φ6.0 | -0.01~-0.03 | |
| Φ6.5~Φ10.5 | -0.01~-0.035 | |
| Φ11.0~Φ16.0 | -0.01~-0.04 | |
| Φ17.0~Φ20.0 | -0.015~-0.045 | |

TEX 4 flutes corner radius end mills

圓鼻 4 刃立銑刀



MG 0.6μm CO10% HRC-55 ALDNL



B151

| Product Code 產品編號 | Blade diameter 刃徑 | R | Blade length 刃長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|----------------------|-----|--------------------|------------|-------------|--------------|----|
| | | | | | | AL | AS |
| TEX4F010R0203005004 | 1.0 | 0.2 | 3 | 50 | 4 | ○ | ○ |
| TEX4F015R0204005004 | 1.5 | 0.2 | 4 | 50 | 4 | ○ | ○ |
| TEX4F015R0504005004 | 1.5 | 0.5 | 4 | 50 | 4 | ○ | ○ |
| TEX4F020R0206005004 | 2.0 | 0.2 | 6 | 50 | 4 | ○ | ○ |
| TEX4F020R0506005004 | 2.0 | 0.5 | 6 | 50 | 4 | ○ | ○ |
| TEX4F025R0208005004 | 2.5 | 0.2 | 8 | 50 | 4 | ○ | ○ |
| TEX4F025R0508005004 | 2.5 | 0.5 | 8 | 50 | 4 | ○ | ○ |
| TEX4F030R0208005004 | 3.0 | 0.2 | 8 | 50 | 4 | ○ | ○ |
| TEX4F030R0508005004 | 3.0 | 0.5 | 8 | 50 | 4 | ○ | ○ |
| TEX4F030R1008005004 | 3.0 | 1.0 | 8 | 50 | 4 | ○ | ○ |
| TEX4F040R0201105004 | 4.0 | 0.2 | 11 | 50 | 4 | ○ | ○ |
| TEX4F040R0501105004 | 4.0 | 0.5 | 11 | 50 | 4 | ○ | ○ |
| TEX4F040R1001105004 | 4.0 | 1.0 | 11 | 50 | 4 | ○ | ○ |
| TEX4F050R0513005006 | 5.0 | 0.5 | 13 | 50 | 6 | ○ | ○ |
| TEX4F050R1013005006 | 5.0 | 1.0 | 13 | 50 | 6 | ○ | ○ |
| TEX4F060R0215005006 | 6.0 | 0.2 | 15 | 50 | 6 | ○ | ○ |
| TEX4F060R0515005006 | 6.0 | 0.5 | 15 | 50 | 6 | ○ | ○ |
| TEX4F060R1015005006 | 6.0 | 1.0 | 15 | 50 | 6 | ○ | ○ |
| TEX4F060R1515005006 | 6.0 | 1.5 | 15 | 50 | 6 | ○ | ○ |
| TEX4F060R2015005006 | 6.0 | 2.0 | 15 | 50 | 6 | ○ | ○ |
| TEX4F080R0520006008 | 8.0 | 0.5 | 20 | 60 | 8 | ○ | ○ |
| TEX4F080R1020006008 | 8.0 | 1.0 | 20 | 60 | 8 | ○ | ○ |
| TEX4F080R1520006008 | 8.0 | 1.5 | 20 | 60 | 8 | ○ | ○ |
| TEX4F080R2020006008 | 8.0 | 2.0 | 20 | 60 | 8 | ○ | ○ |
| TEX4F100R0525007510 | 10.0 | 0.5 | 25 | 75 | 10 | ○ | ○ |
| TEX4F100R1025007510 | 10.0 | 1.0 | 25 | 75 | 10 | ○ | ○ |
| TEX4F100R1525007510 | 10.0 | 1.5 | 25 | 75 | 10 | ○ | ○ |
| TEX4F100R2025007510 | 10.0 | 2.0 | 25 | 75 | 10 | ○ | ○ |
| TEX4F100R2525007510 | 10.0 | 2.5 | 25 | 75 | 10 | ○ | ○ |
| TEX4F100R3025007510 | 10.0 | 3.0 | 25 | 75 | 10 | ○ | ○ |
| TEX4F120R0530007512 | 12.0 | 0.5 | 30 | 75 | 12 | ○ | ○ |
| TEX4F120R1030007512 | 12.0 | 1.0 | 30 | 75 | 12 | ○ | ○ |
| TEX4F120R1530007512 | 12.0 | 1.5 | 30 | 75 | 12 | ○ | ○ |
| TEX4F120R2030007512 | 12.0 | 2.0 | 30 | 75 | 12 | ○ | ○ |
| TEX4F120R2530007512 | 12.0 | 2.5 | 30 | 75 | 12 | ○ | ○ |
| TEX4F120R3030007512 | 12.0 | 3.0 | 30 | 75 | 12 | ○ | ○ |

★ WORK MATERIAL 被削材質


| TEX | | | |
|----------|--------|--------|-----|
| P20 S45C | SCM SK | FC FCD | CU |
| 碳素鋼 | 合金鋼 | 鑄鐵 | 銅合金 |
| ● | ● | ● | ● |

★ TOLERANCES 公差

| Blade diameter 刃部直徑 | Blade diameter tolerance 刃部直徑公差 | Shank diameter tolerance 柄部直徑公差 |
|------------------------|------------------------------------|------------------------------------|
| Φ1.0~Φ2.9 | 0~-0.02 | H6 |
| Φ3.0~Φ6.0 | -0.01~-0.03 | |
| Φ6.5~Φ10.5 | -0.01~-0.035 | |
| Φ11.0~Φ12.0 | -0.01~-0.04 | |

TEX Long shank 4 flutes corner radius end mills

長柄圓鼻4刃立銼刀



MG 0.6μm CO10% HRC-55 ALDNL




B152

| Product Code 產品編號 | Blade diameter 刃徑 | R | Blade length 刃長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|----------------------|-----|--------------------|------------|-------------|--------------|----|
| | | | | | | AL | AS |
| TEX4F010R0203007504 | 1.0 | 0.2 | 3 | 75 | 4 | ○ | ○ |
| TEX4F015R0203007504 | 1.5 | 0.2 | 4 | 75 | 4 | ○ | ○ |
| TEX4F015R0503007504 | 1.5 | 0.5 | 4 | 75 | 4 | ○ | ○ |
| TEX4F020R0206007504 | 2.0 | 0.2 | 6 | 75 | 4 | ○ | ○ |
| TEX4F020R0506007504 | 2.0 | 0.5 | 6 | 75 | 4 | ○ | ○ |
| TEX4F025R0208007504 | 2.5 | 0.2 | 8 | 75 | 4 | ○ | ○ |
| TEX4F025R0508007504 | 2.5 | 0.5 | 8 | 75 | 4 | ○ | ○ |
| TEX4F030R0208007504 | 3.0 | 0.2 | 8 | 75 | 4 | ○ | ○ |
| TEX4F030R0508007504 | 3.0 | 0.5 | 8 | 75 | 4 | ○ | ○ |
| TEX4F030R1008007504 | 3.0 | 1.0 | 8 | 75 | 4 | ○ | ○ |
| TEX4F040R0201107504 | 4.0 | 0.2 | 11 | 75 | 4 | ○ | ○ |
| TEX4F040R0501107504 | 4.0 | 0.5 | 11 | 75 | 4 | ○ | ○ |
| TEX4F040R1001107504 | 4.0 | 1.0 | 11 | 75 | 4 | ○ | ○ |
| TEX4F050R0511007506 | 5.0 | 0.5 | 11 | 75 | 6 | ○ | ○ |
| TEX4F050R1013007506 | 5.0 | 1.0 | 13 | 75 | 6 | ○ | ○ |
| TEX4F060R0215007506 | 6.0 | 0.2 | 15 | 75 | 6 | ○ | ○ |
| TEX4F060R0515007506 | 6.0 | 0.5 | 15 | 75 | 6 | ○ | ○ |
| TEX4F060R1015007506 | 6.0 | 1.0 | 15 | 75 | 6 | ○ | ○ |
| TEX4F060R1515007506 | 6.0 | 1.5 | 15 | 75 | 6 | ○ | ○ |
| TEX4F060R2015007506 | 6.0 | 2.0 | 15 | 75 | 6 | ○ | ○ |
| TEX4F080R0520007508 | 8.0 | 0.5 | 20 | 75 | 8 | ○ | ○ |
| TEX4F080R1020007508 | 8.0 | 1.0 | 20 | 75 | 8 | ○ | ○ |
| TEX4F080R1520007508 | 8.0 | 1.5 | 20 | 75 | 8 | ○ | ○ |
| TEX4F080R2020007508 | 8.0 | 2.0 | 20 | 75 | 8 | ○ | ○ |
| TEX4F040R0211010006 | 4.0 | 0.2 | 11 | 100 | 6 | ○ | ○ |
| TEX4F040R0511010006 | 4.0 | 0.5 | 11 | 100 | 6 | ○ | ○ |
| TEX4F040R1011010006 | 4.0 | 1.0 | 11 | 100 | 6 | ○ | ○ |
| TEX4F050R0513010006 | 5.0 | 0.5 | 13 | 100 | 6 | ○ | ○ |
| TEX4F050R1013010006 | 5.0 | 1.0 | 13 | 100 | 6 | ○ | ○ |
| TEX4F060R0215010006 | 6.0 | 0.2 | 15 | 100 | 6 | ○ | ○ |
| TEX4F060R0515010006 | 6.0 | 0.5 | 15 | 100 | 6 | ○ | ○ |
| TEX4F060R1015010006 | 6.0 | 1.0 | 15 | 100 | 6 | ○ | ○ |
| TEX4F060R1515010006 | 6.0 | 1.5 | 15 | 100 | 6 | ○ | ○ |
| TEX4F060R2015010006 | 6.0 | 2.0 | 15 | 100 | 6 | ○ | ○ |
| TEX4F080R0520010008 | 8.0 | 0.5 | 20 | 100 | 8 | ○ | ○ |
| TEX4F080R1020010008 | 8.0 | 1.0 | 20 | 100 | 8 | ○ | ○ |
| TEX4F080R1520010008 | 8.0 | 1.5 | 20 | 100 | 8 | ○ | ○ |
| TEX4F080R2020010008 | 8.0 | 2.0 | 20 | 100 | 8 | ○ | ○ |
| TEX4F100R0525010010 | 10.0 | 0.5 | 25 | 100 | 10 | ○ | ○ |
| TEX4F100R1025010010 | 10.0 | 1.0 | 25 | 100 | 10 | ○ | ○ |
| TEX4F100R1525010010 | 10.0 | 1.5 | 25 | 100 | 10 | ○ | ○ |
| TEX4F100R2025010010 | 10.0 | 2.0 | 25 | 100 | 10 | ○ | ○ |
| TEX4F100R2525010010 | 10.0 | 2.5 | 25 | 100 | 10 | ○ | ○ |
| TEX4F100R3025010010 | 10.0 | 3.0 | 25 | 100 | 10 | ○ | ○ |
| TEX4F120R0530010012 | 12.0 | 0.5 | 30 | 100 | 12 | ○ | ○ |
| TEX4F120R1030010012 | 12.0 | 1.0 | 30 | 100 | 12 | ○ | ○ |
| TEX4F120R1530010012 | 12.0 | 1.5 | 30 | 100 | 12 | ○ | ○ |
| TEX4F120R2030010012 | 12.0 | 2.0 | 30 | 100 | 12 | ○ | ○ |
| TEX4F120R2530010012 | 12.0 | 2.5 | 30 | 100 | 12 | ○ | ○ |
| TEX4F120R3030010012 | 12.0 | 3.0 | 30 | 100 | 12 | ○ | ○ |

■Special specifications can be customized. ■特殊規格可訂制。

TEX 4 flutes ball nose end mills

4刃球型立銑刀



MG 0.6μm CO10% HRC-55 ALDNL

B153

| Product Code 產品編號 | R Blade R 徑 | Blade length 刃長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|----------------|--------------------|------------|-------------|--------------|----|
| | | | | | AL | AS |
| TEX4FR005002005004 | R0.50 | 2.0 | 50 | 4 | ○ | ○ |
| TEX4FR007503005004 | R0.75 | 3.0 | 50 | 4 | ○ | ○ |
| TEX4FR010004005004 | R1.00 | 4.0 | 50 | 4 | ○ | ○ |
| TEX4FR012505005004 | R1.25 | 5.0 | 50 | 4 | ○ | ○ |
| TEX4FR015006005004 | R1.50 | 6.0 | 50 | 4 | ○ | ○ |
| TEX4FR017507005004 | R1.75 | 7.0 | 50 | 4 | ○ | ○ |
| TEX4FR020008005004 | R2.00 | 8.0 | 50 | 4 | ○ | ○ |
| TEX4FR022509005006 | R2.25 | 9.0 | 50 | 6 | ○ | ○ |
| TEX4FR025010005006 | R2.50 | 10.0 | 50 | 6 | ○ | ○ |
| TEX4FR027511005006 | R2.75 | 11.0 | 50 | 6 | ○ | ○ |
| TEX4FR030012005006 | R3.00 | 12.0 | 50 | 6 | ○ | ○ |
| TEX4FR032513006008 | R3.25 | 13.0 | 60 | 8 | ○ | ○ |
| TEX4FR035014006008 | R3.50 | 14.0 | 60 | 8 | ○ | ○ |
| TEX4FR037515006008 | R3.75 | 15.0 | 60 | 8 | ○ | ○ |
| TEX4FR040016006008 | R4.00 | 16.0 | 60 | 8 | ○ | ○ |
| TEX4FR045018007510 | R4.50 | 18.0 | 75 | 10 | ○ | ○ |
| TEX4FR050020007510 | R5.00 | 20.0 | 75 | 10 | ○ | ○ |
| TEX4FR060024007512 | R6.00 | 24.0 | 75 | 12 | ○ | ○ |
| TEX4FR070028010014 | R7.00 | 28.0 | 100 | 14 | ○ | ○ |
| TEX4FR080032010016 | R8.00 | 32.0 | 100 | 16 | ○ | ○ |
| TEX4FR090036010018 | R9.00 | 36.0 | 100 | 18 | ○ | ○ |
| TEX4FR100040010020 | R10.0 | 40.0 | 100 | 20 | ○ | ○ |
| TEX4FR125050010025 | R12.5 | 50.0 | 100 | 25 | ○ | ○ |

★ WORK MATERIAL 被削材質

| TEX | | | | |
|----------|--------|--------|-----|-----|
| P20 S45C | SCM SK | FC FCD | CU | 304 |
| 碳素鋼 | 合金鋼 | 鑄鐵 | 銅合金 | 不銹鋼 |
| ● | ● | ● | ● | ● |

| | |
|---|----------------------|
| R | R diameter tolerance |
| R | R ± 0.015 |

★ TOLERANCES 公差


| Blade diameter 刃部直徑 | Blade diameter tolerance 刃部直徑公差 | Shank diameter tolerance 柄部直徑公差 |
|------------------------|------------------------------------|------------------------------------|
| Φ0.4~Φ4.0 | 0~-0.02 | H6 |

★ TOLERANCES 公差

| Blade diameter 刃部直徑 | Blade diameter tolerance 刃部直徑公差 | Shank diameter tolerance 柄部直徑公差 |
|------------------------|------------------------------------|------------------------------------|
| Φ1.0~Φ2.9 | 0~-0.02 | H6 |
| Φ3.0~Φ6.4 | -0.01~-0.03 | |
| Φ6.5~Φ10.9 | -0.01~-0.035 | |
| Φ11.0~Φ16.5 | -0.01~-0.04 | |
| Φ17.0~Φ20.0 | -0.015~-0.045 | |
| Φ20.5~Φ25.0 | -0.015~-0.05 | |

TEX Long shank 4 flutes ball nose end mills

長柄 4刃球型立銼刀



MG 0.6μm CO10% HRC-55 ALDNL

B154

| Product Code 產品編號 | R Blade R 徑 | Blade length 刃長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|----------------|--------------------|------------|-------------|--------------|----|
| | | | | | AL | AS |
| TEX4FR005002007504 | R0.50 | 2 | 75 | 4 | ○ | ○ |
| TEX4FR007503007504 | R0.75 | 3 | 75 | 4 | ○ | ○ |
| TEX4FR010004007504 | R1.00 | 4 | 75 | 4 | ○ | ○ |
| TEX4FR012505007504 | R1.25 | 5 | 75 | 4 | ○ | ○ |
| TEX4FR015006007504 | R1.50 | 6 | 75 | 4 | ○ | ○ |
| TEX4FR017507007504 | R1.75 | 7 | 75 | 4 | ○ | ○ |
| TEX4FR020008007504 | R2.00 | 8 | 75 | 4 | ○ | ○ |
| TEX4FR022509007506 | R2.25 | 9 | 75 | 6 | ○ | ○ |
| TEX4FR025010007506 | R2.50 | 10 | 75 | 6 | ○ | ○ |
| TEX4FR027511007506 | R2.75 | 11 | 75 | 6 | ○ | ○ |
| TEX4FR030012007506 | R3.00 | 12 | 75 | 6 | ○ | ○ |
| TEX4FR040016007508 | R4.00 | 16 | 75 | 8 | ○ | ○ |
| TEX4FR005002010006 | R0.50 | 2 | 100 | 6 | ○ | ○ |
| TEX4FR007503010006 | R0.75 | 3 | 100 | 6 | ○ | ○ |
| TEX4FR010004010006 | R1.00 | 4 | 100 | 6 | ○ | ○ |
| TEX4FR012505010006 | R1.25 | 5 | 100 | 6 | ○ | ○ |
| TEX4FR015006010006 | R1.50 | 6 | 100 | 6 | ○ | ○ |
| TEX4FR017507010006 | R1.75 | 7 | 100 | 6 | ○ | ○ |
| TEX4FR020008010006 | R2.00 | 8 | 100 | 6 | ○ | ○ |
| TEX4FR022509010006 | R2.25 | 9 | 100 | 6 | ○ | ○ |
| TEX4FR025010010006 | R2.50 | 10 | 100 | 6 | ○ | ○ |
| TEX4FR027511010006 | R2.75 | 11 | 100 | 6 | ○ | ○ |
| TEX4FR030012010006 | R3.00 | 12 | 100 | 6 | ○ | ○ |
| TEX4FR040016010008 | R4.00 | 16 | 100 | 8 | ○ | ○ |
| TEX4FR050020010010 | R5.00 | 20 | 100 | 10 | ○ | ○ |
| TEX4FR060024010012 | R6.00 | 24 | 100 | 12 | ○ | ○ |
| TEX4FR030012015006 | R3.00 | 12 | 150 | 6 | ○ | ○ |
| TEX4FR040016015008 | R4.00 | 16 | 150 | 8 | ○ | ○ |
| TEX4FR050020015010 | R5.00 | 20 | 150 | 10 | ○ | ○ |
| TEX4FR060024015012 | R6.00 | 24 | 150 | 12 | ○ | ○ |
| TEX4FR070028015014 | R7.00 | 28 | 150 | 14 | ○ | ○ |
| TEX4FR080032015016 | R8.00 | 32 | 150 | 16 | ○ | ○ |
| TEX4FR100040015020 | R10.00 | 40 | 150 | 20 | ○ | ○ |
| TEX4FR040016020008 | R4.00 | 16 | 200 | 8 | ○ | ○ |
| TEX4FR050020020010 | R5.00 | 20 | 200 | 10 | ○ | ○ |
| TEX4FR060024020012 | R6.00 | 24 | 200 | 12 | ○ | ○ |
| TEX4FR070028020014 | R7.00 | 28 | 200 | 14 | ○ | ○ |
| TEX4FR080032020016 | R8.00 | 32 | 200 | 16 | ○ | ○ |
| TEX4FR100040020020 | R10.00 | 40 | 200 | 20 | ○ | ○ |

★ WORK MATERAIL 被削材質

| TEX | | | | |
|----------|--------|--------|-----|-----|
| P20 S45C | SCM SK | FC FCD | CU | 304 |
| 碳素鋼 | 合金鋼 | 鑄鐵 | 銅合金 | 不銹鋼 |
| ● | ● | ● | ● | ● |


| | |
|---|----------------------|
| R | R diameter tolerance |
| R | R ± 0.015 |

★ TOLERANCES 公差

| Blade diameter 刃部直徑 | Blade diameter tolerance 刃部直徑公差 | Shank diameter tolerance 柄部直徑公差 |
|------------------------|------------------------------------|------------------------------------|
| Φ 1.0~Φ 2.9 | 0~-0.02 | H6 |
| Φ 3.0~Φ 6.4 | -0.01~-0.03 | |
| Φ 6.5~Φ 10.9 | -0.01~-0.035 | |
| Φ 11.0~Φ 16.5 | -0.01~-0.04 | |
| Φ 17.0~Φ 20.0 | -0.015~-0.045 | |
| Φ 20.5~Φ 25.0 | -0.015~-0.05 | |

TEX 3 flutes square end mills

3刃立铣刀



MG 0.6μm CO10% HRC-55 ALDNL

B155

| Product Code 產品編號 | Blade diameter 刃徑 | Blade length 刃長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|----------------------|--------------------|------------|-------------|--------------|----|
| | | | | | AL | AS |
| TEX3F01003005004 | 1.0 | 3 | 50 | 4 | ○ | ○ |
| TEX3F01504505004 | 1.5 | 4.5 | 50 | 4 | ○ | ○ |
| TEX3F02006005004 | 2.0 | 6 | 50 | 4 | ○ | ○ |
| TEX3F02507005004 | 2.5 | 7 | 50 | 4 | ○ | ○ |
| TEX3F03008005004 | 3.0 | 8 | 50 | 4 | ○ | ○ |
| TEX3F03510005004 | 3.5 | 10 | 50 | 4 | ○ | ○ |
| TEX3F04011005004 | 4.0 | 11 | 50 | 4 | ○ | ○ |
| TEX3F04511005006 | 4.5 | 11 | 50 | 6 | ○ | ○ |
| TEX3F05013005006 | 5.0 | 13 | 50 | 6 | ○ | ○ |
| TEX3F05513005006 | 5.5 | 13 | 50 | 6 | ○ | ○ |
| TEX3F06015005006 | 6.0 | 15 | 50 | 6 | ○ | ○ |
| TEX3F06515006008 | 6.5 | 15 | 60 | 8 | ○ | ○ |
| TEX3F07017006008 | 7.0 | 17 | 60 | 8 | ○ | ○ |
| TEX3F07517006008 | 7.5 | 17 | 60 | 8 | ○ | ○ |
| TEX3F08020006008 | 8.0 | 20 | 60 | 8 | ○ | ○ |
| TEX3F08520007510 | 8.5 | 20 | 75 | 10 | ○ | ○ |
| TEX3F09023007510 | 9.0 | 23 | 75 | 10 | ○ | ○ |
| TEX3F09523007510 | 9.5 | 23 | 75 | 10 | ○ | ○ |
| TEX3F10025007510 | 10.0 | 25 | 75 | 10 | ○ | ○ |
| TEX3F10525007512 | 10.5 | 25 | 75 | 12 | ○ | ○ |
| TEX3F11028007512 | 11.0 | 28 | 75 | 12 | ○ | ○ |
| TEX3F11528007512 | 11.5 | 28 | 75 | 12 | ○ | ○ |
| TEX3F12030007512 | 12.0 | 30 | 75 | 12 | ○ | ○ |
| TEX3F13033010014 | 13.0 | 33 | 100 | 14 | ○ | ○ |
| TEX3F14035010014 | 14.0 | 35 | 100 | 14 | ○ | ○ |
| TEX3F15038010016 | 15.0 | 38 | 100 | 16 | ○ | ○ |
| TEX3F16040010016 | 16.0 | 40 | 100 | 16 | ○ | ○ |
| TEX3F17040010018 | 17.0 | 40 | 100 | 18 | ○ | ○ |
| TEX3F18040010018 | 18.0 | 40 | 100 | 18 | ○ | ○ |
| TEX3F19040010020 | 19.0 | 40 | 100 | 20 | ○ | ○ |
| TEX3F20040010020 | 20.0 | 40 | 100 | 20 | ○ | ○ |
| TEX3F22040010025 | 22.0 | 40 | 100 | 25 | ○ | ○ |
| TEX3F25040010025 | 25.0 | 40 | 100 | 25 | ○ | ○ |

★ WORK MATERIAL 被削材質


| TEX | | | |
|----------|--------|--------|-----|
| P20 S45C | SCM SK | FC FCD | CU |
| 碳素鋼 | 合金鋼 | 鑄鐵 | 銅合金 |
| ● | ● | ● | ● |

★ TOLERANCES 公差

| Blade diameter 刃部直徑 | Blade diameter tolerance 刃部直徑公差 | Shank diameter tolerance 柄部直徑公差 |
|------------------------|------------------------------------|------------------------------------|
| Φ1.0~Φ2.9 | 0~-0.02 | H6 |
| Φ3.0~Φ6.4 | -0.01~-0.03 | |
| Φ6.5~Φ10.9 | -0.01~-0.035 | |
| Φ11.0~Φ16.5 | -0.01~-0.04 | |
| Φ17.0~Φ20.0 | -0.015~-0.045 | |
| Φ20.5~Φ25.0 | -0.015~-0.05 | |

TEX 2 flutes long neck short flute square end mills

二刃平底深溝銑刀



MG 0.6μm CO10% HRC-55 ALDNL




B156

| Product Code 產品編號 | Blade diameter 刃徑 | Blade length 刃長 | Effective length 有效長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|----------------------|--------------------|-------------------------|------------|-------------|--------------|----|
| | | | | | | AL | AS |
| TEX2F00200301005004 | 0.2 | 0.3 | 1 | 50 | 4 | ○ | ○ |
| TEX2F00200302005004 | 0.2 | 0.3 | 2 | 50 | 4 | ○ | ○ |
| TEX2F00300401005004 | 0.3 | 0.4 | 1 | 50 | 4 | ○ | ○ |
| TEX2F00300402005004 | 0.3 | 0.4 | 2 | 50 | 4 | ○ | ○ |
| TEX2F00300403005004 | 0.3 | 0.4 | 3 | 50 | 4 | ○ | ○ |
| TEX2F00300404005004 | 0.3 | 0.4 | 4 | 50 | 4 | ○ | ○ |
| TEX2F00300405005004 | 0.3 | 0.4 | 5 | 50 | 4 | ○ | ○ |
| TEX2F00400501005004 | 0.4 | 0.5 | 1 | 50 | 4 | ○ | ○ |
| TEX2F00400502005004 | 0.4 | 0.5 | 2 | 50 | 4 | ○ | ○ |
| TEX2F00400503005004 | 0.4 | 0.5 | 3 | 50 | 4 | ○ | ○ |
| TEX2F00400504005004 | 0.4 | 0.5 | 4 | 50 | 4 | ○ | ○ |
| TEX2F00400505005004 | 0.4 | 0.5 | 5 | 50 | 4 | ○ | ○ |
| TEX2F00400506005004 | 0.4 | 0.5 | 6 | 50 | 4 | ○ | ○ |
| TEX2F00400508005004 | 0.4 | 0.5 | 8 | 50 | 4 | ○ | ○ |
| TEX2F00400510005004 | 0.4 | 0.5 | 10 | 50 | 4 | ○ | ○ |
| TEX2F00500602005004 | 0.5 | 0.6 | 2 | 50 | 4 | ○ | ○ |
| TEX2F00500603005004 | 0.5 | 0.6 | 3 | 50 | 4 | ○ | ○ |
| TEX2F00500604005004 | 0.5 | 0.6 | 4 | 50 | 4 | ○ | ○ |
| TEX2F00500605005004 | 0.5 | 0.6 | 5 | 50 | 4 | ○ | ○ |
| TEX2F00500606005004 | 0.5 | 0.6 | 6 | 50 | 4 | ○ | ○ |
| TEX2F00500608005004 | 0.5 | 0.6 | 8 | 50 | 4 | ○ | ○ |
| TEX2F00500610005004 | 0.5 | 0.6 | 10 | 50 | 4 | ○ | ○ |
| TEX2F00500612005004 | 0.5 | 0.6 | 12 | 50 | 4 | ○ | ○ |
| TEX2F00500614005004 | 0.5 | 0.6 | 14 | 50 | 4 | ○ | ○ |
| TEX2F00600702005004 | 0.6 | 0.7 | 2 | 50 | 4 | ○ | ○ |
| TEX2F00600703005004 | 0.6 | 0.7 | 3 | 50 | 4 | ○ | ○ |
| TEX2F00600704005004 | 0.6 | 0.7 | 4 | 50 | 4 | ○ | ○ |
| TEX2F00600705005004 | 0.6 | 0.7 | 5 | 50 | 4 | ○ | ○ |
| TEX2F00600706005004 | 0.6 | 0.7 | 6 | 50 | 4 | ○ | ○ |
| TEX2F00600708005004 | 0.6 | 0.7 | 8 | 50 | 4 | ○ | ○ |
| TEX2F00600710005004 | 0.6 | 0.7 | 10 | 50 | 4 | ○ | ○ |
| TEX2F00600712005004 | 0.6 | 0.7 | 12 | 50 | 4 | ○ | ○ |
| TEX2F00600714005004 | 0.6 | 0.7 | 14 | 50 | 4 | ○ | ○ |
| TEX2F00600716005004 | 0.6 | 0.7 | 16 | 50 | 4 | ○ | ○ |
| TEX2F00700802005004 | 0.7 | 0.8 | 2 | 50 | 4 | ○ | ○ |
| TEX2F00700804005004 | 0.7 | 0.8 | 4 | 50 | 4 | ○ | ○ |
| TEX2F00700806005004 | 0.7 | 0.8 | 6 | 50 | 4 | ○ | ○ |
| TEX2F00700808005004 | 0.7 | 0.8 | 8 | 50 | 4 | ○ | ○ |
| TEX2F00700810005004 | 0.7 | 0.8 | 10 | 50 | 4 | ○ | ○ |
| TEX2F00700812005004 | 0.7 | 0.8 | 12 | 50 | 4 | ○ | ○ |
| TEX2F00801002005004 | 0.8 | 1.0 | 2 | 50 | 4 | ○ | ○ |
| TEX2F00801004005004 | 0.8 | 1.0 | 4 | 50 | 4 | ○ | ○ |
| TEX2F00801006005004 | 0.8 | 1.0 | 6 | 50 | 4 | ○ | ○ |
| TEX2F00801008005004 | 0.8 | 1.0 | 8 | 50 | 4 | ○ | ○ |
| TEX2F00801010005004 | 0.8 | 1.0 | 10 | 50 | 4 | ○ | ○ |
| TEX2F00801012005004 | 0.8 | 1.0 | 12 | 50 | 4 | ○ | ○ |
| TEX2F00801014005004 | 0.8 | 1.0 | 14 | 50 | 4 | ○ | ○ |
| TEX2F00901106005004 | 0.9 | 1.1 | 6 | 50 | 4 | ○ | ○ |
| TEX2F00901108005004 | 0.9 | 1.1 | 8 | 50 | 4 | ○ | ○ |
| TEX2F00901110005004 | 0.9 | 1.1 | 10 | 50 | 4 | ○ | ○ |
| TEX2F01001202005004 | 1.0 | 1.2 | 2 | 50 | 4 | ○ | ○ |
| TEX2F01001203005004 | 1.0 | 1.2 | 3 | 50 | 4 | ○ | ○ |
| TEX2F01001204005004 | 1.0 | 1.2 | 4 | 50 | 4 | ○ | ○ |
| TEX2F01001205005004 | 1.0 | 1.2 | 5 | 50 | 4 | ○ | ○ |
| TEX2F01001206005004 | 1.0 | 1.2 | 6 | 50 | 4 | ○ | ○ |
| TEX2F01001208005004 | 1.0 | 1.2 | 8 | 50 | 4 | ○ | ○ |
| TEX2F01001210005004 | 1.0 | 1.2 | 10 | 50 | 4 | ○ | ○ |

TEX 2 flutes long neck short flute square end mills

二刃平底深溝銑刀




B157

| Product Code 產品編號 | Blade diameter 刃徑 | Blade length 刃長 | Effective length 有效長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|----------------------|--------------------|-------------------------|------------|-------------|--------------|----|
| | | | | | | AL | AS |
| TEX2F01001212005004 | 1.0 | 1.2 | 12 | 50 | 4 | ○ | ○ |
| TEX2F01001214005004 | 1.0 | 1.2 | 14 | 50 | 4 | ○ | ○ |
| TEX2F01001216005004 | 1.0 | 1.2 | 16 | 50 | 4 | ○ | ○ |
| TEX2F01001218005004 | 1.0 | 1.2 | 18 | 50 | 4 | ○ | ○ |
| TEX2F01001220005004 | 1.0 | 1.2 | 20 | 50 | 4 | ○ | ○ |
| TEX2F01201504005004 | 1.2 | 1.5 | 4 | 50 | 4 | ○ | ○ |
| TEX2F01201506005004 | 1.2 | 1.5 | 6 | 50 | 4 | ○ | ○ |
| TEX2F01201508005004 | 1.2 | 1.5 | 8 | 50 | 4 | ○ | ○ |
| TEX2F01201510005004 | 1.2 | 1.5 | 10 | 50 | 4 | ○ | ○ |
| TEX2F01201512005004 | 1.2 | 1.5 | 12 | 50 | 4 | ○ | ○ |
| TEX2F01201516005004 | 1.2 | 1.5 | 16 | 50 | 4 | ○ | ○ |
| TEX2F01201520005004 | 1.2 | 1.5 | 20 | 50 | 4 | ○ | ○ |
| TEX2F01401806005004 | 1.4 | 1.8 | 6 | 50 | 4 | ○ | ○ |
| TEX2F01401808005004 | 1.4 | 1.8 | 8 | 50 | 4 | ○ | ○ |
| TEX2F01401810005004 | 1.4 | 1.8 | 10 | 50 | 4 | ○ | ○ |
| TEX2F01401814005004 | 1.4 | 1.8 | 14 | 50 | 4 | ○ | ○ |
| TEX2F01401816005004 | 1.4 | 1.8 | 16 | 50 | 4 | ○ | ○ |
| TEX2F01401820005004 | 1.4 | 1.8 | 20 | 50 | 4 | ○ | ○ |
| TEX2F01501804005004 | 1.5 | 1.8 | 4 | 50 | 4 | ○ | ○ |
| TEX2F01501806005004 | 1.5 | 1.8 | 6 | 50 | 4 | ○ | ○ |
| TEX2F01501808005004 | 1.5 | 1.8 | 8 | 50 | 4 | ○ | ○ |
| TEX2F01501810005004 | 1.5 | 1.8 | 10 | 50 | 4 | ○ | ○ |
| TEX2F01501812005004 | 1.5 | 1.8 | 12 | 50 | 4 | ○ | ○ |
| TEX2F01501814005004 | 1.5 | 1.8 | 14 | 50 | 4 | ○ | ○ |
| TEX2F01501816005004 | 1.5 | 1.8 | 16 | 50 | 4 | ○ | ○ |
| TEX2F01501818005004 | 1.5 | 1.8 | 18 | 50 | 4 | ○ | ○ |
| TEX2F01501820005004 | 1.5 | 1.8 | 20 | 50 | 4 | ○ | ○ |
| TEX2F01601910005004 | 1.6 | 1.9 | 10 | 50 | 4 | ○ | ○ |
| TEX2F01601914005004 | 1.6 | 1.9 | 14 | 50 | 4 | ○ | ○ |
| TEX2F01601918005004 | 1.6 | 1.9 | 18 | 50 | 4 | ○ | ○ |
| TEX2F01802010005004 | 1.8 | 2.0 | 10 | 50 | 4 | ○ | ○ |
| TEX2F01802014005004 | 1.8 | 2.0 | 14 | 50 | 4 | ○ | ○ |
| TEX2F01802018005004 | 1.8 | 2.0 | 18 | 50 | 4 | ○ | ○ |
| TEX2F02002504005004 | 2.0 | 2.5 | 4 | 50 | 4 | ○ | ○ |
| TEX2F02002506005004 | 2.0 | 2.5 | 6 | 50 | 4 | ○ | ○ |
| TEX2F02002508005004 | 2.0 | 2.5 | 8 | 50 | 4 | ○ | ○ |
| TEX2F02002510005004 | 2.0 | 2.5 | 10 | 50 | 4 | ○ | ○ |
| TEX2F02002512005004 | 2.0 | 2.5 | 12 | 50 | 4 | ○ | ○ |
| TEX2F02002514005004 | 2.0 | 2.5 | 14 | 50 | 4 | ○ | ○ |
| TEX2F02002516005004 | 2.0 | 2.5 | 16 | 50 | 4 | ○ | ○ |
| TEX2F02002518005004 | 2.0 | 2.5 | 18 | 50 | 4 | ○ | ○ |
| TEX2F02002520005004 | 2.0 | 2.5 | 20 | 50 | 4 | ○ | ○ |
| TEX2F02002522005004 | 2.0 | 2.5 | 22 | 50 | 4 | ○ | ○ |
| TEX2F02002525005004 | 2.0 | 2.5 | 25 | 50 | 4 | ○ | ○ |
| TEX2F02002530005004 | 2.0 | 2.5 | 30 | 50 | 4 | ○ | ○ |
| TEX2F02002535005004 | 2.0 | 2.5 | 35 | 50 | 4 | ○ | ○ |
| TEX2F02503008005004 | 2.5 | 3.0 | 8 | 50 | 4 | ○ | ○ |
| TEX2F02503010005004 | 2.5 | 3.0 | 10 | 50 | 4 | ○ | ○ |
| TEX2F02503012005004 | 2.5 | 3.0 | 12 | 50 | 4 | ○ | ○ |
| TEX2F02503016005004 | 2.5 | 3.0 | 16 | 50 | 4 | ○ | ○ |
| TEX2F02503020005004 | 2.5 | 3.0 | 20 | 50 | 4 | ○ | ○ |
| TEX2F02503025005004 | 2.5 | 3.0 | 25 | 50 | 4 | ○ | ○ |
| TEX2F02503030005004 | 2.5 | 3.0 | 30 | 50 | 4 | ○ | ○ |
| TEX2F02503035005004 | 2.5 | 3.0 | 35 | 50 | 4 | ○ | ○ |

TEX 2 flutes long neck short flute square end mills

二刃平底深溝銑刀



MG 0.6μm CO10% HRC-55 ALDNL

B158

| Product Code 產品編號 | Blade diameter 刃徑 | Blade length 刃長 | Effective length 有效長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|----------------------|--------------------|-------------------------|------------|-------------|--------------|----|
| | | | | | | AL | AS |
| TEX2F03003506005006 | 3.0 | 3.5 | 6 | 50 | 6 | ○ | ○ |
| TEX2F03003510005006 | 3.0 | 3.5 | 10 | 50 | 6 | ○ | ○ |
| TEX2F03003512005006 | 3.0 | 3.5 | 12 | 50 | 6 | ○ | ○ |
| TEX2F03003516005006 | 3.0 | 3.5 | 16 | 50 | 6 | ○ | ○ |
| TEX2F03003520006006 | 3.0 | 3.5 | 20 | 60 | 6 | ○ | ○ |
| TEX2F03003525006006 | 3.0 | 3.5 | 25 | 60 | 6 | ○ | ○ |
| TEX2F03003530006006 | 3.0 | 3.5 | 30 | 60 | 6 | ○ | ○ |
| TEX2F03003535007506 | 3.0 | 3.5 | 35 | 75 | 6 | ○ | ○ |
| TEX2F04004508005006 | 4.0 | 4.5 | 8 | 50 | 6 | ○ | ○ |
| TEX2F04004510005006 | 4.0 | 4.5 | 10 | 50 | 6 | ○ | ○ |
| TEX2F04004512005006 | 4.0 | 4.5 | 12 | 50 | 6 | ○ | ○ |
| TEX2F04004516005006 | 4.0 | 4.5 | 16 | 50 | 6 | ○ | ○ |
| TEX2F04004520006006 | 4.0 | 4.5 | 20 | 60 | 6 | ○ | ○ |
| TEX2F04004525006006 | 4.0 | 4.5 | 25 | 60 | 6 | ○ | ○ |
| TEX2F04004530006006 | 4.0 | 4.5 | 30 | 60 | 6 | ○ | ○ |
| TEX2F04004535007506 | 4.0 | 4.5 | 35 | 75 | 6 | ○ | ○ |
| TEX2F05007016005006 | 5.0 | 7.0 | 16 | 50 | 6 | ○ | ○ |
| TEX2F05007020006006 | 5.0 | 7.0 | 20 | 60 | 6 | ○ | ○ |
| TEX2F05007025006006 | 5.0 | 7.0 | 25 | 60 | 6 | ○ | ○ |
| TEX2F05007030006006 | 5.0 | 7.0 | 30 | 60 | 6 | ○ | ○ |
| TEX2F05007035075006 | 5.0 | 7.0 | 35 | 75 | 6 | ○ | ○ |
| TEX2F06010020006006 | 6.0 | 10.0 | 20 | 60 | 6 | ○ | ○ |
| TEX2F06010030075006 | 6.0 | 10.0 | 30 | 75 | 6 | ○ | ○ |
| TEX2F08015020006008 | 8.0 | 15.0 | 20 | 60 | 8 | ○ | ○ |
| TEX2F08015030075008 | 8.0 | 15.0 | 30 | 75 | 8 | ○ | ○ |
| TEX2F08015040010008 | 8.0 | 15.0 | 40 | 100 | 8 | ○ | ○ |
| TEX2F10020025075010 | 10.0 | 20.0 | 25 | 75 | 10 | ○ | ○ |
| TEX2F10020035075010 | 10.0 | 20.0 | 35 | 75 | 10 | ○ | ○ |
| TEX2F10020045010010 | 10.0 | 20.0 | 45 | 100 | 10 | ○ | ○ |
| TEX2F12025030075012 | 12.0 | 25.0 | 30 | 75 | 12 | ○ | ○ |
| TEX2F12025040010012 | 12.0 | 25.0 | 40 | 100 | 12 | ○ | ○ |
| TEX2F12025050010012 | 12.0 | 25.0 | 50 | 100 | 12 | ○ | ○ |

★ WORK MATERIAL 被削材質

TEX


| P20 S45C | SCM SK | FC FCD | CU | 304 |
|----------|--------|--------|-----|-----|
| 碳素鋼 | 合金鋼 | 鑄鐵 | 銅合金 | 不銹鋼 |
| ● | ● | ● | ● | ● |

★ TOLERANCES 公差

| Blade diameter 刃部直徑 | Blade diameter tolerance 刃部直徑公差 |
|------------------------|------------------------------------|
| Φ | 0~-0.02 |

TEX 2 flutes long neck short flute ball nose end mills

二刃深溝球頭銼刀




MG 0.6μm CO10% HRC-55 ALDNL

B159

| Product Code 產品編號 | Radius 半徑 | Blade diameter 刃徑 | Blade length 刃長 | Effective length 有效長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|--------------|----------------------|--------------------|-------------------------|------------|-------------|--------------|----|
| | | | | | | | AL | AS |
| TEX2FR01500301005004 | 0.15R | 0.3 | 0.3 | 1 | 50 | 4 | ◎ | ◎ |
| TEX2FR01500302005004 | 0.15R | 0.3 | 0.3 | 2 | 50 | 4 | ◎ | ◎ |
| TEX2FR01500303005004 | 0.15R | 0.3 | 0.3 | 3 | 50 | 4 | ◎ | ◎ |
| TEX2FR02000401005004 | 0.20R | 0.4 | 0.4 | 1 | 50 | 4 | ◎ | ◎ |
| TEX2FR02000402005004 | 0.20R | 0.4 | 0.4 | 2 | 50 | 4 | ◎ | ◎ |
| TEX2FR02000403005004 | 0.20R | 0.4 | 0.4 | 3 | 50 | 4 | ◎ | ◎ |
| TEX2FR02000404005004 | 0.20R | 0.4 | 0.4 | 4 | 50 | 4 | ◎ | ◎ |
| TEX2FR02000405005004 | 0.20R | 0.4 | 0.4 | 5 | 50 | 4 | ◎ | ◎ |
| TEX2FR02000406005004 | 0.20R | 0.4 | 0.4 | 6 | 50 | 4 | ◎ | ◎ |
| TEX2FR02000408005004 | 0.20R | 0.4 | 0.4 | 8 | 50 | 4 | ◎ | ◎ |
| TEX2FR02500501005004 | 0.25R | 0.5 | 0.5 | 1 | 50 | 4 | ◎ | ◎ |
| TEX2FR02500502005004 | 0.25R | 0.5 | 0.5 | 2 | 50 | 4 | ◎ | ◎ |
| TEX2FR02500503005004 | 0.25R | 0.5 | 0.5 | 3 | 50 | 4 | ◎ | ◎ |
| TEX2FR02500504005004 | 0.25R | 0.5 | 0.5 | 4 | 50 | 4 | ◎ | ◎ |
| TEX2FR02500505005004 | 0.25R | 0.5 | 0.5 | 5 | 50 | 4 | ◎ | ◎ |
| TEX2FR02500506005004 | 0.25R | 0.5 | 0.5 | 6 | 50 | 4 | ◎ | ◎ |
| TEX2FR02500508005004 | 0.25R | 0.5 | 0.5 | 8 | 50 | 4 | ◎ | ◎ |
| TEX2FR02500510005004 | 0.25R | 0.5 | 0.5 | 10 | 50 | 4 | ◎ | ◎ |
| TEX2FR03000601005004 | 0.30R | 0.6 | 0.6 | 1 | 50 | 4 | ◎ | ◎ |
| TEX2FR03000602005004 | 0.30R | 0.6 | 0.6 | 2 | 50 | 4 | ◎ | ◎ |
| TEX2FR03000603005004 | 0.30R | 0.6 | 0.6 | 3 | 50 | 4 | ◎ | ◎ |
| TEX2FR03000604005004 | 0.30R | 0.6 | 0.6 | 4 | 50 | 4 | ◎ | ◎ |
| TEX2FR03000605005004 | 0.30R | 0.6 | 0.6 | 5 | 50 | 4 | ◎ | ◎ |
| TEX2FR03000606005004 | 0.30R | 0.6 | 0.6 | 6 | 50 | 4 | ◎ | ◎ |
| TEX2FR03000608005004 | 0.30R | 0.6 | 0.6 | 8 | 50 | 4 | ◎ | ◎ |
| TEX2FR03000610005004 | 0.30R | 0.6 | 0.6 | 10 | 50 | 4 | ◎ | ◎ |
| TEX2FR03000612005004 | 0.30R | 0.6 | 0.6 | 12 | 50 | 4 | ◎ | ◎ |
| TEX2FR03500702005004 | 0.35R | 0.7 | 0.7 | 2 | 50 | 4 | ◎ | ◎ |
| TEX2FR03500704005004 | 0.35R | 0.7 | 0.7 | 4 | 50 | 4 | ◎ | ◎ |
| TEX2FR03500708005004 | 0.35R | 0.7 | 0.7 | 8 | 50 | 4 | ◎ | ◎ |
| TEX2FR03500710005004 | 0.35R | 0.7 | 0.7 | 10 | 50 | 4 | ◎ | ◎ |
| TEX2FR03500712005004 | 0.35R | 0.7 | 0.7 | 12 | 50 | 4 | ◎ | ◎ |
| TEX2FR04000802005004 | 0.40R | 0.8 | 0.8 | 2 | 50 | 4 | ◎ | ◎ |
| TEX2FR04000804005004 | 0.40R | 0.8 | 0.8 | 4 | 50 | 4 | ◎ | ◎ |
| TEX2FR04000806005004 | 0.40R | 0.8 | 0.8 | 6 | 50 | 4 | ◎ | ◎ |
| TEX2FR04000808005004 | 0.40R | 0.8 | 0.8 | 8 | 50 | 4 | ◎ | ◎ |
| TEX2FR04000810005004 | 0.40R | 0.8 | 0.8 | 10 | 50 | 4 | ◎ | ◎ |
| TEX2FR04000812005004 | 0.40R | 0.8 | 0.8 | 12 | 50 | 4 | ◎ | ◎ |
| TEX2FR04500904005004 | 0.45R | 0.9 | 0.9 | 4 | 50 | 4 | ◎ | ◎ |
| TEX2FR05001002005004 | 0.50R | 1.0 | 1.0 | 2 | 50 | 4 | ◎ | ◎ |
| TEX2FR05001003005004 | 0.50R | 1.0 | 1.0 | 3 | 50 | 4 | ◎ | ◎ |
| TEX2FR05001004005004 | 0.50R | 1.0 | 1.0 | 4 | 50 | 4 | ◎ | ◎ |
| TEX2FR05001005005004 | 0.50R | 1.0 | 1.0 | 5 | 50 | 4 | ◎ | ◎ |
| TEX2FR05001006005004 | 0.50R | 1.0 | 1.0 | 6 | 50 | 4 | ◎ | ◎ |
| TEX2FR05001008005004 | 0.50R | 1.0 | 1.0 | 8 | 50 | 4 | ◎ | ◎ |
| TEX2FR05001010005004 | 0.50R | 1.0 | 1.0 | 10 | 50 | 4 | ◎ | ◎ |
| TEX2FR05001012005004 | 0.50R | 1.0 | 1.0 | 12 | 50 | 4 | ◎ | ◎ |
| TEX2FR05001014005004 | 0.50R | 1.0 | 1.0 | 14 | 50 | 4 | ◎ | ◎ |
| TEX2FR05001016005004 | 0.50R | 1.0 | 1.0 | 16 | 50 | 4 | ◎ | ◎ |
| TEX2FR05001018005004 | 0.50R | 1.0 | 1.0 | 18 | 50 | 4 | ◎ | ◎ |
| TEX2FR05001020005004 | 0.50R | 1.0 | 1.0 | 20 | 50 | 4 | ◎ | ◎ |
| TEX2FR05001022005004 | 0.50R | 1.0 | 1.0 | 22 | 50 | 4 | ◎ | ◎ |

TEX 2 flutes long neck short flute ball nose end mills

二刃深溝球頭銼刀



MG 0.6μm CO10% HRC-55 ALDNL




B160

| Product Code 產品編號 | Radius 半徑 | Blade diameter 刃徑 | Blade length 刃長 | Effective length 有效長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|--------------|----------------------|--------------------|-------------------------|------------|-------------|--------------|----|
| | | | | | | | AL | AS |
| TEX2FR06012045004 | 0.60R | 1.2 | 1.2 | 4 | 50 | 4 | ◎ | ◎ |
| TEX2FR06012065004 | 0.60R | 1.2 | 1.2 | 6 | 50 | 4 | ◎ | ◎ |
| TEX2FR06012085004 | 0.60R | 1.2 | 1.2 | 8 | 50 | 4 | ◎ | ◎ |
| TEX2FR06012105004 | 0.60R | 1.2 | 1.2 | 10 | 50 | 4 | ◎ | ◎ |
| TEX2FR06012125004 | 0.60R | 1.2 | 1.2 | 12 | 50 | 4 | ◎ | ◎ |
| TEX2FR06012165004 | 0.60R | 1.2 | 1.2 | 16 | 50 | 4 | ◎ | ◎ |
| TEX2FR06012205004 | 0.60R | 1.2 | 1.2 | 20 | 50 | 4 | ◎ | ◎ |
| TEX2FR06012245004 | 0.60R | 1.2 | 1.2 | 24 | 50 | 4 | ◎ | ◎ |
| TEX2FR07014065004 | 0.70R | 1.4 | 1.4 | 6 | 50 | 4 | ◎ | ◎ |
| TEX2FR07014085004 | 0.70R | 1.4 | 1.4 | 8 | 50 | 4 | ◎ | ◎ |
| TEX2FR07014125004 | 0.70R | 1.4 | 1.4 | 12 | 50 | 4 | ◎ | ◎ |
| TEX2FR07014165004 | 0.70R | 1.4 | 1.4 | 16 | 50 | 4 | ◎ | ◎ |
| TEX2FR07515035004 | 0.75R | 1.5 | 1.5 | 3 | 50 | 4 | ◎ | ◎ |
| TEX2FR07515045004 | 0.75R | 1.5 | 1.5 | 4 | 50 | 4 | ◎ | ◎ |
| TEX2FR07515065004 | 0.75R | 1.5 | 1.5 | 6 | 50 | 4 | ◎ | ◎ |
| TEX2FR07515085004 | 0.75R | 1.5 | 1.5 | 8 | 50 | 4 | ◎ | ◎ |
| TEX2FR07515105004 | 0.75R | 1.5 | 1.5 | 10 | 50 | 4 | ◎ | ◎ |
| TEX2FR07515125004 | 0.75R | 1.5 | 1.5 | 12 | 50 | 4 | ◎ | ◎ |
| TEX2FR07515145004 | 0.75R | 1.5 | 1.5 | 14 | 50 | 4 | ◎ | ◎ |
| TEX2FR07515165004 | 0.75R | 1.5 | 1.5 | 16 | 50 | 4 | ◎ | ◎ |
| TEX2FR07515185004 | 0.75R | 1.5 | 1.5 | 18 | 50 | 4 | ◎ | ◎ |
| TEX2FR07515205004 | 0.75R | 1.5 | 1.5 | 20 | 50 | 4 | ◎ | ◎ |
| TEX2FR07515225004 | 0.75R | 1.5 | 1.5 | 22 | 50 | 4 | ◎ | ◎ |
| TEX2FR07515255004 | 0.75R | 1.5 | 1.5 | 25 | 50 | 4 | ◎ | ◎ |
| TEX2FR07515305004 | 0.75R | 1.5 | 1.5 | 30 | 50 | 4 | ◎ | ◎ |
| TEX2FR08016065004 | 0.80R | 1.6 | 1.6 | 6 | 50 | 4 | ◎ | ◎ |
| TEX2FR08016085004 | 0.80R | 1.6 | 1.6 | 8 | 50 | 4 | ◎ | ◎ |
| TEX2FR08016125004 | 0.80R | 1.6 | 1.6 | 12 | 50 | 4 | ◎ | ◎ |
| TEX2FR08016165004 | 0.80R | 1.6 | 1.6 | 16 | 50 | 4 | ◎ | ◎ |
| TEX2FR08016205004 | 0.80R | 1.6 | 1.6 | 20 | 50 | 4 | ◎ | ◎ |
| TEX2FR09018065004 | 0.90R | 1.8 | 1.8 | 6 | 50 | 4 | ◎ | ◎ |
| TEX2FR09018085004 | 0.90R | 1.8 | 1.8 | 8 | 50 | 4 | ◎ | ◎ |
| TEX2FR09018125004 | 0.90R | 1.8 | 1.8 | 12 | 50 | 4 | ◎ | ◎ |
| TEX2FR09018165004 | 0.90R | 1.8 | 1.8 | 16 | 50 | 4 | ◎ | ◎ |
| TEX2FR09018205004 | 0.90R | 1.8 | 1.8 | 20 | 50 | 4 | ◎ | ◎ |
| TEX2FR10020045004 | 1.00R | 2.0 | 2.0 | 4 | 50 | 4 | ◎ | ◎ |
| TEX2FR10020065004 | 1.00R | 2.0 | 2.0 | 6 | 50 | 4 | ◎ | ◎ |
| TEX2FR10020085004 | 1.00R | 2.0 | 2.0 | 8 | 50 | 4 | ◎ | ◎ |
| TEX2FR10020105004 | 1.00R | 2.0 | 2.0 | 10 | 50 | 4 | ◎ | ◎ |
| TEX2FR10020125004 | 1.00R | 2.0 | 2.0 | 12 | 50 | 4 | ◎ | ◎ |
| TEX2FR10020145004 | 1.00R | 2.0 | 2.0 | 14 | 50 | 4 | ◎ | ◎ |
| TEX2FR10020165004 | 1.00R | 2.0 | 2.0 | 16 | 50 | 4 | ◎ | ◎ |
| TEX2FR10020185004 | 1.00R | 2.0 | 2.0 | 18 | 50 | 4 | ◎ | ◎ |
| TEX2FR10020205004 | 1.00R | 2.0 | 2.0 | 20 | 50 | 4 | ◎ | ◎ |
| TEX2FR10020225004 | 1.00R | 2.0 | 2.0 | 22 | 50 | 4 | ◎ | ◎ |
| TEX2FR10020255004 | 1.00R | 2.0 | 2.0 | 25 | 50 | 4 | ◎ | ◎ |
| TEX2FR12525085004 | 1.25R | 2.5 | 2.5 | 8 | 50 | 4 | ◎ | ◎ |
| TEX2FR12525105004 | 1.25R | 2.5 | 2.5 | 10 | 50 | 4 | ◎ | ◎ |
| TEX2FR12525165004 | 1.25R | 2.5 | 2.5 | 16 | 50 | 4 | ◎ | ◎ |
| TEX2FR12525205004 | 1.25R | 2.5 | 2.5 | 20 | 50 | 4 | ◎ | ◎ |
| TEX2FR12525255004 | 1.25R | 2.5 | 2.5 | 25 | 50 | 4 | ◎ | ◎ |
| TEX2FR12525305004 | 1.25R | 2.5 | 2.5 | 30 | 50 | 4 | ◎ | ◎ |

TEX 2 flutes long neck short flute corner radius end mills

二刃深溝圓鼻銼刀




MG 0.6μm CO10% HRC-55 ALDNL

B161

| Product Code 產品編號 | Blade diameter 刃徑 | Corner radius R角 | Blade length 刃長 | Effective length 有效長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|----------------------|---------------------|--------------------|-------------------------|------------|-------------|--------------|----|
| | | | | | | | AL | AS |
| TEX010R0010100405004 | 1.0 | 0.1R | 1.0 | 4 | 50 | 4 | ◎ | ◎ |
| TEX010R0010100605004 | 1.0 | 0.1R | 1.0 | 6 | 50 | 4 | ◎ | ◎ |
| TEX010R0010100805004 | 1.0 | 0.1R | 1.0 | 8 | 50 | 4 | ◎ | ◎ |
| TEX010R0010101005004 | 1.0 | 0.1R | 1.0 | 10 | 50 | 4 | ◎ | ◎ |
| TEX010R0010101205004 | 1.0 | 0.1R | 1.0 | 12 | 50 | 4 | ◎ | ◎ |
| TEX010R0020100405004 | 1.0 | 0.2R | 1.0 | 4 | 50 | 4 | ◎ | ◎ |
| TEX010R0020100605004 | 1.0 | 0.2R | 1.0 | 6 | 50 | 4 | ◎ | ◎ |
| TEX010R0020100805004 | 1.0 | 0.2R | 1.0 | 8 | 50 | 4 | ◎ | ◎ |
| TEX010R0020101005004 | 1.0 | 0.2R | 1.0 | 10 | 50 | 4 | ◎ | ◎ |
| TEX010R0020101205004 | 1.0 | 0.2R | 1.0 | 12 | 50 | 4 | ◎ | ◎ |
| TEX010R0030100405004 | 1.0 | 0.3R | 1.0 | 4 | 50 | 4 | ◎ | ◎ |
| TEX010R0030100605004 | 1.0 | 0.3R | 1.0 | 6 | 50 | 4 | ◎ | ◎ |
| TEX010R0030100805004 | 1.0 | 0.3R | 1.0 | 8 | 50 | 4 | ◎ | ◎ |
| TEX010R0030101005004 | 1.0 | 0.3R | 1.0 | 10 | 50 | 4 | ◎ | ◎ |
| TEX010R0030101205004 | 1.0 | 0.3R | 1.0 | 12 | 50 | 4 | ◎ | ◎ |
| TEX012R0010120405004 | 1.2 | 0.1R | 1.2 | 4 | 50 | 4 | ◎ | ◎ |
| TEX012R0010120605004 | 1.2 | 0.1R | 1.2 | 6 | 50 | 4 | ◎ | ◎ |
| TEX012R0010120805004 | 1.2 | 0.1R | 1.2 | 8 | 50 | 4 | ◎ | ◎ |
| TEX012R0010121005004 | 1.2 | 0.1R | 1.2 | 10 | 50 | 4 | ◎ | ◎ |
| TEX012R0010121205004 | 1.2 | 0.1R | 1.2 | 12 | 50 | 4 | ◎ | ◎ |
| TEX012R0020120405004 | 1.2 | 0.2R | 1.2 | 4 | 50 | 4 | ◎ | ◎ |
| TEX012R0020120605004 | 1.2 | 0.2R | 1.2 | 6 | 50 | 4 | ◎ | ◎ |
| TEX012R0020120805004 | 1.2 | 0.2R | 1.2 | 8 | 50 | 4 | ◎ | ◎ |
| TEX012R0020121005004 | 1.2 | 0.2R | 1.2 | 10 | 50 | 4 | ◎ | ◎ |
| TEX012R0020121205004 | 1.2 | 0.2R | 1.2 | 12 | 50 | 4 | ◎ | ◎ |
| TEX012R0030120405004 | 1.2 | 0.3R | 1.2 | 4 | 50 | 4 | ◎ | ◎ |
| TEX012R0030120605004 | 1.2 | 0.3R | 1.2 | 6 | 50 | 4 | ◎ | ◎ |
| TEX012R0030120805004 | 1.2 | 0.3R | 1.2 | 8 | 50 | 4 | ◎ | ◎ |
| TEX012R0030121005004 | 1.2 | 0.3R | 1.2 | 10 | 50 | 4 | ◎ | ◎ |
| TEX012R0030121205004 | 1.2 | 0.3R | 1.2 | 12 | 50 | 4 | ◎ | ◎ |
| TEX015R0010150605004 | 1.5 | 0.1R | 1.5 | 6 | 50 | 4 | ◎ | ◎ |
| TEX015R0010150805004 | 1.5 | 0.1R | 1.5 | 8 | 50 | 4 | ◎ | ◎ |
| TEX015R0010151005004 | 1.5 | 0.1R | 1.5 | 10 | 50 | 4 | ◎ | ◎ |
| TEX015R0010151205004 | 1.5 | 0.1R | 1.5 | 12 | 50 | 4 | ◎ | ◎ |
| TEX015R0010151605004 | 1.5 | 0.1R | 1.5 | 16 | 50 | 4 | ◎ | ◎ |
| TEX015R0020150605004 | 1.5 | 0.2R | 1.5 | 6 | 50 | 4 | ◎ | ◎ |
| TEX015R0020150805004 | 1.5 | 0.2R | 1.5 | 8 | 50 | 4 | ◎ | ◎ |
| TEX015R0020151005004 | 1.5 | 0.2R | 1.5 | 10 | 50 | 4 | ◎ | ◎ |
| TEX015R0020151205004 | 1.5 | 0.2R | 1.5 | 12 | 50 | 4 | ◎ | ◎ |
| TEX015R0020151605004 | 1.5 | 0.2R | 1.5 | 16 | 50 | 4 | ◎ | ◎ |
| TEX015R0030150605004 | 1.5 | 0.3R | 1.5 | 6 | 50 | 4 | ◎ | ◎ |
| TEX015R0030150805004 | 1.5 | 0.3R | 1.5 | 8 | 50 | 4 | ◎ | ◎ |
| TEX015R0030151005004 | 1.5 | 0.3R | 1.5 | 10 | 50 | 4 | ◎ | ◎ |
| TEX015R0030151205004 | 1.5 | 0.3R | 1.5 | 12 | 50 | 4 | ◎ | ◎ |
| TEX015R0030151605004 | 1.5 | 0.3R | 1.5 | 16 | 50 | 4 | ◎ | ◎ |
| TEX015R0050150605004 | 1.5 | 0.5R | 1.5 | 6 | 50 | 4 | ◎ | ◎ |
| TEX015R0050150805004 | 1.5 | 0.5R | 1.5 | 8 | 50 | 4 | ◎ | ◎ |
| TEX015R0050151005004 | 1.5 | 0.5R | 1.5 | 10 | 50 | 4 | ◎ | ◎ |
| TEX015R0050151205004 | 1.5 | 0.5R | 1.5 | 12 | 50 | 4 | ◎ | ◎ |
| TEX015R0050151605004 | 1.5 | 0.5R | 1.5 | 16 | 50 | 4 | ◎ | ◎ |
| TEX020R0010200605004 | 2.0 | 0.1R | 2.0 | 6 | 50 | 4 | ◎ | ◎ |
| TEX020R0010200805004 | 2.0 | 0.1R | 2.0 | 8 | 50 | 4 | ◎ | ◎ |
| TEX020R0010201005004 | 2.0 | 0.1R | 2.0 | 10 | 50 | 4 | ◎ | ◎ |
| TEX020R0010201205004 | 2.0 | 0.1R | 2.0 | 12 | 50 | 4 | ◎ | ◎ |
| TEX020R0010201605004 | 2.0 | 0.1R | 2.0 | 16 | 50 | 4 | ◎ | ◎ |
| TEX020R0010202005004 | 2.0 | 0.1R | 2.0 | 20 | 60 | 4 | ◎ | ◎ |
| TEX020R0010202505004 | 2.0 | 0.1R | 2.0 | 25 | 60 | 4 | ◎ | ◎ |

TEX 2 flutes long neck short flute corner radius end mills

二刃深溝圓鼻銼刀




MG 0.6μm CO10% HRC-55 ALDNL

B162

| Product Code 產品編號 | Blade diameter 刃徑 | Corner radius R角 | Blade length 刃長 | Effective length 有效長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|----------------------|---------------------|--------------------|-------------------------|------------|-------------|--------------|----|
| | | | | | | | AL | AS |
| TEX20R02065004 | 2.0 | 0.2R | 2.0 | 6 | 50 | 4 | ◎ | ◎ |
| TEX20R02085004 | 2.0 | 0.2R | 2.0 | 8 | 50 | 4 | ◎ | ◎ |
| TEX20R02105004 | 2.0 | 0.2R | 2.0 | 10 | 50 | 4 | ◎ | ◎ |
| TEX20R02125004 | 2.0 | 0.2R | 2.0 | 12 | 50 | 4 | ◎ | ◎ |
| TEX20R02165004 | 2.0 | 0.2R | 2.0 | 16 | 50 | 4 | ◎ | ◎ |
| TEX20R02205004 | 2.0 | 0.2R | 2.0 | 20 | 50 | 4 | ◎ | ◎ |
| TEX20R02256004 | 2.0 | 0.2R | 2.0 | 25 | 60 | 4 | ◎ | ◎ |
| TEX20R03065004 | 2.0 | 0.3R | 2.0 | 6 | 50 | 4 | ◎ | ◎ |
| TEX20R03085004 | 2.0 | 0.3R | 2.0 | 8 | 50 | 4 | ◎ | ◎ |
| TEX20R03105004 | 2.0 | 0.3R | 2.0 | 10 | 50 | 4 | ◎ | ◎ |
| TEX20R03125004 | 2.0 | 0.3R | 2.0 | 12 | 50 | 4 | ◎ | ◎ |
| TEX20R03165004 | 2.0 | 0.3R | 2.0 | 16 | 50 | 4 | ◎ | ◎ |
| TEX20R03205004 | 2.0 | 0.3R | 2.0 | 20 | 50 | 4 | ◎ | ◎ |
| TEX20R03256004 | 2.0 | 0.3R | 2.0 | 25 | 60 | 4 | ◎ | ◎ |
| TEX20R05065004 | 2.0 | 0.5R | 2.0 | 6 | 50 | 4 | ◎ | ◎ |
| TEX20R05085004 | 2.0 | 0.5R | 2.0 | 8 | 50 | 4 | ◎ | ◎ |
| TEX20R05105004 | 2.0 | 0.5R | 2.0 | 10 | 50 | 4 | ◎ | ◎ |
| TEX20R05125004 | 2.0 | 0.5R | 2.0 | 12 | 50 | 4 | ◎ | ◎ |
| TEX20R05165004 | 2.0 | 0.5R | 2.0 | 16 | 50 | 4 | ◎ | ◎ |
| TEX20R05205004 | 2.0 | 0.5R | 2.0 | 20 | 50 | 4 | ◎ | ◎ |
| TEX20R05256004 | 2.0 | 0.5R | 2.0 | 25 | 60 | 4 | ◎ | ◎ |
| TEX25R01105004 | 2.5 | 0.1R | 2.5 | 10 | 50 | 4 | ◎ | ◎ |
| TEX25R01165004 | 2.5 | 0.1R | 2.5 | 16 | 50 | 4 | ◎ | ◎ |
| TEX25R01205004 | 2.5 | 0.1R | 2.5 | 20 | 50 | 4 | ◎ | ◎ |
| TEX25R01256004 | 2.5 | 0.1R | 2.5 | 25 | 60 | 4 | ◎ | ◎ |
| TEX25R02105004 | 2.5 | 0.2R | 2.5 | 10 | 50 | 4 | ◎ | ◎ |
| TEX25R02165004 | 2.5 | 0.2R | 2.5 | 16 | 50 | 4 | ◎ | ◎ |
| TEX25R02205004 | 2.5 | 0.2R | 2.5 | 20 | 50 | 4 | ◎ | ◎ |
| TEX25R02256004 | 2.5 | 0.2R | 2.5 | 25 | 60 | 4 | ◎ | ◎ |
| TEX25R03105004 | 2.5 | 0.3R | 2.5 | 10 | 50 | 4 | ◎ | ◎ |
| TEX25R03165004 | 2.5 | 0.3R | 2.5 | 16 | 50 | 4 | ◎ | ◎ |
| TEX25R03205004 | 2.5 | 0.3R | 2.5 | 20 | 50 | 4 | ◎ | ◎ |
| TEX25R03256004 | 2.5 | 0.3R | 2.5 | 25 | 60 | 4 | ◎ | ◎ |
| TEX25R05105004 | 2.5 | 0.5R | 2.5 | 10 | 50 | 4 | ◎ | ◎ |
| TEX25R05165004 | 2.5 | 0.5R | 2.5 | 16 | 50 | 4 | ◎ | ◎ |
| TEX25R05205004 | 2.5 | 0.5R | 2.5 | 20 | 50 | 4 | ◎ | ◎ |
| TEX25R05255004 | 2.5 | 0.5R | 2.5 | 25 | 60 | 4 | ◎ | ◎ |
| TEX30R01105006 | 3.0 | 0.1R | 3.0 | 10 | 50 | 6 | ◎ | ◎ |
| TEX30R01166006 | 3.0 | 0.1R | 3.0 | 16 | 60 | 6 | ◎ | ◎ |
| TEX30R01206006 | 3.0 | 0.1R | 3.0 | 20 | 60 | 6 | ◎ | ◎ |
| TEX30R01256006 | 3.0 | 0.1R | 3.0 | 25 | 60 | 6 | ◎ | ◎ |
| TEX30R01307506 | 3.0 | 0.1R | 3.0 | 30 | 75 | 6 | ◎ | ◎ |
| TEX30R01357506 | 3.0 | 0.1R | 3.0 | 35 | 75 | 6 | ◎ | ◎ |
| TEX30R02105006 | 3.0 | 0.2R | 3.0 | 10 | 50 | 6 | ◎ | ◎ |
| TEX30R02166006 | 3.0 | 0.2R | 3.0 | 16 | 60 | 6 | ◎ | ◎ |
| TEX30R02206006 | 3.0 | 0.2R | 3.0 | 20 | 60 | 6 | ◎ | ◎ |
| TEX30R02256006 | 3.0 | 0.2R | 3.0 | 25 | 60 | 6 | ◎ | ◎ |
| TEX30R02307506 | 3.0 | 0.2R | 3.0 | 30 | 75 | 6 | ◎ | ◎ |
| TEX30R02357506 | 3.0 | 0.2R | 3.0 | 35 | 75 | 6 | ◎ | ◎ |
| TEX30R03105006 | 3.0 | 0.3R | 3.0 | 10 | 50 | 6 | ◎ | ◎ |
| TEX30R03166006 | 3.0 | 0.3R | 3.0 | 16 | 60 | 6 | ◎ | ◎ |
| TEX30R03206006 | 3.0 | 0.3R | 3.0 | 20 | 60 | 6 | ◎ | ◎ |
| TEX30R03256006 | 3.0 | 0.3R | 3.0 | 25 | 60 | 6 | ◎ | ◎ |
| TEX30R03307506 | 3.0 | 0.3R | 3.0 | 30 | 75 | 6 | ◎ | ◎ |
| TEX30R03357506 | 3.0 | 0.3R | 3.0 | 35 | 75 | 6 | ◎ | ◎ |

TEX 2 flutes long neck short flute corner radius end mills

二刃深溝圓鼻銼刀



B163

| Product Code 產品編號 | Blade diameter 刃徑 | Corner radius R角 | Blade length 刃長 | Effective length 有效長 | Full 全長 | Shank 柄徑 | Inventory 庫存 | |
|----------------------|----------------------|---------------------|--------------------|-------------------------|------------|-------------|--------------|----|
| | | | | | | | AL | AS |
| TEX30R05105006 | 3.0 | 0.5R | 3.0 | 10 | 50 | 6 | ○ | ○ |
| TEX30R05166006 | 3.0 | 0.5R | 3.0 | 16 | 60 | 6 | ○ | ○ |
| TEX30R05206006 | 3.0 | 0.5R | 3.0 | 20 | 60 | 6 | ○ | ○ |
| TEX30R05256006 | 3.0 | 0.5R | 3.0 | 25 | 60 | 6 | ○ | ○ |
| TEX30R05307506 | 3.0 | 0.5R | 3.0 | 30 | 75 | 6 | ○ | ○ |
| TEX30R05357506 | 3.0 | 0.5R | 3.0 | 35 | 75 | 6 | ○ | ○ |
| TEX30R10105006 | 3.0 | 1.0R | 3.0 | 10 | 50 | 6 | ○ | ○ |
| TEX30R10166006 | 3.0 | 1.0R | 3.0 | 16 | 60 | 6 | ○ | ○ |
| TEX30R10206006 | 3.0 | 1.0R | 3.0 | 20 | 60 | 6 | ○ | ○ |
| TEX30R10256006 | 3.0 | 1.0R | 3.0 | 25 | 60 | 6 | ○ | ○ |
| TEX30R10307506 | 3.0 | 1.0R | 3.0 | 30 | 75 | 6 | ○ | ○ |
| TEX30R10357506 | 3.0 | 1.0R | 3.0 | 35 | 75 | 6 | ○ | ○ |
| TEX40R01135006 | 4.0 | 0.1R | 4.0 | 13 | 50 | 6 | ○ | ○ |
| TEX40R01166006 | 4.0 | 0.1R | 4.0 | 16 | 60 | 6 | ○ | ○ |
| TEX40R01206006 | 4.0 | 0.1R | 4.0 | 20 | 60 | 6 | ○ | ○ |
| TEX40R01256006 | 4.0 | 0.1R | 4.0 | 25 | 60 | 6 | ○ | ○ |
| TEX40R01307506 | 4.0 | 0.1R | 4.0 | 30 | 75 | 6 | ○ | ○ |
| TEX40R01357506 | 4.0 | 0.1R | 4.0 | 35 | 75 | 6 | ○ | ○ |
| TEX40R02135006 | 4.0 | 0.2R | 4.0 | 13 | 50 | 6 | ○ | ○ |
| TEX40R02166006 | 4.0 | 0.2R | 4.0 | 16 | 60 | 6 | ○ | ○ |
| TEX40R02206006 | 4.0 | 0.2R | 4.0 | 20 | 60 | 6 | ○ | ○ |
| TEX40R02256006 | 4.0 | 0.2R | 4.0 | 25 | 60 | 6 | ○ | ○ |
| TEX40R02307506 | 4.0 | 0.2R | 4.0 | 30 | 75 | 6 | ○ | ○ |
| TEX40R02357506 | 4.0 | 0.2R | 4.0 | 35 | 75 | 6 | ○ | ○ |
| TEX40R03135006 | 4.0 | 0.3R | 4.0 | 13 | 50 | 6 | ○ | ○ |
| TEX40R03166006 | 4.0 | 0.3R | 4.0 | 16 | 60 | 6 | ○ | ○ |
| TEX40R03206006 | 4.0 | 0.3R | 4.0 | 20 | 60 | 6 | ○ | ○ |
| TEX40R03256006 | 4.0 | 0.3R | 4.0 | 25 | 60 | 6 | ○ | ○ |
| TEX40R03307506 | 4.0 | 0.3R | 4.0 | 30 | 75 | 6 | ○ | ○ |
| TEX40R03357506 | 4.0 | 0.3R | 4.0 | 35 | 75 | 6 | ○ | ○ |
| TEX40R05135006 | 4.0 | 0.5R | 4.0 | 13 | 50 | 6 | ○ | ○ |
| TEX40R05166006 | 4.0 | 0.5R | 4.0 | 16 | 60 | 6 | ○ | ○ |
| TEX40R05206006 | 4.0 | 0.5R | 4.0 | 20 | 60 | 6 | ○ | ○ |
| TEX40R05256006 | 4.0 | 0.5R | 4.0 | 25 | 60 | 6 | ○ | ○ |
| TEX40R05307506 | 4.0 | 0.5R | 4.0 | 30 | 75 | 6 | ○ | ○ |
| TEX40R05357506 | 4.0 | 0.5R | 4.0 | 35 | 75 | 6 | ○ | ○ |
| TEX40R10135006 | 4.0 | 1.0R | 4.0 | 13 | 50 | 6 | ○ | ○ |
| TEX40R10166006 | 4.0 | 1.0R | 4.0 | 16 | 60 | 6 | ○ | ○ |
| TEX40R10206006 | 4.0 | 1.0R | 4.0 | 20 | 60 | 6 | ○ | ○ |
| TEX40R10256006 | 4.0 | 1.0R | 4.0 | 25 | 60 | 6 | ○ | ○ |
| TEX40R10307506 | 4.0 | 1.0R | 4.0 | 30 | 75 | 6 | ○ | ○ |
| TEX40R10357506 | 4.0 | 1.0R | 4.0 | 35 | 75 | 6 | ○ | ○ |
| TEX50R01166006 | 5.0 | 0.1R | 5.0 | 16 | 60 | 6 | ○ | ○ |
| TEX50R01306006 | 5.0 | 0.1R | 5.0 | 30 | 60 | 6 | ○ | ○ |
| TEX50R02166006 | 5.0 | 0.2R | 5.0 | 16 | 60 | 6 | ○ | ○ |
| TEX50R02306006 | 5.0 | 0.2R | 5.0 | 30 | 60 | 6 | ○ | ○ |
| TEX50R03166006 | 5.0 | 0.3R | 5.0 | 16 | 60 | 6 | ○ | ○ |
| TEX50R03306006 | 5.0 | 0.3R | 5.0 | 30 | 60 | 6 | ○ | ○ |
| TEX50R05166006 | 5.0 | 0.5R | 5.0 | 16 | 60 | 6 | ○ | ○ |
| TEX50R05306006 | 5.0 | 0.5R | 5.0 | 30 | 60 | 6 | ○ | ○ |
| TEX50R10166006 | 5.0 | 1.0R | 5.0 | 16 | 60 | 6 | ○ | ○ |
| TEX50R10306006 | 5.0 | 1.0R | 5.0 | 30 | 60 | 6 | ○ | ○ |